Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF 96
IDENTIFICATION NUMBER

COMMANDED BY

LIEUTENANT JAMES R. WILLIAMS, U. S. N.

Attached to
- _____ Division,
- SERVICE SQUADRON FIVE Squadron,
- _____ Flotilla,
- SERVICE FORCE U.S. PACIFIC FLEET Fleet,
- FOURTEENTH Naval District,

Commencing +1Ø W 1 DECEMBER, 1964,
(zone time and date)

at PEARL HARBOR, HAWAII,
(location)

and ending +1Ø W 31 DECEMBER, 1964,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ _____ , 19__
(Day) (Date) (Month)

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE TUESDAY (Day) 1 (Date) DECEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	2999	79	73	4	2000	cu			
02	050	4	10	Sct	2995	78	73	4	2000	cu			
03	050	4	10	Sct	2993	77	73	4	2000	cu			
04	050	4	10	Sct	2994	77	73	4	2000	cu			
05	050	4	10	Sct	2994	77	73	4	2000	cu			
06	050	4	10	Sct	2994	77	73	4	2000	cu			
07	040	4	10	Sct	2995	75	73	4	2000	cu			
08	040	4	10	Sct	2996	82	73	4	2000	cu			
09	040	4	10	Sct	2996	82	72	4	2000	cu			
10	040	3	10	Sct	2996	82	72	4	2000	cu			
11	040	2	10	Sct	2996	84	71	4	2000	cu			
12	040	2	10	Sct	2996	86	75	4	2000	cu			
13	040	2	10	Sct	2998	85	75	4	2000	cu			
14	040	2	10	Sct	2997	84	75	4	2000	cu			
15	040	3	10	Sct	2998	84	74	4	2000	cu			
16	040	3	10	Sct	2998	83	74	4	2000	cu			
17	040	4	10	Sct	2998	83	74	5	2000	cu			
18	040	4	10	Sct	2998	80	74	5	2000	cu			
19	030	4	10	Sct	2998	80	74	5	2000	cu			
20	030	4	10	Sct	2998	80	73	5	2000	cu			
21	030	4	10	Sct	2996	80	73	5	2000	cu			
22	030	4	10	BKN	2996	80	73	6	2000	cu			
23	030	4	10	BKN	2996	80	72	6	2000	cu			
24	030	4	10	BKN	2995	80	72	8	2000	cu			

POSITION	ZONE	TIME
0800 L	158-50-30	BY 3
λ	21-30-30	BY 3
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM NONE (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 21

FUEL CONSUMED 0000–2400: 840

REMARKS

00-04 moored stbd. side to berth Alfa Three (A-3) U.S. Naval Station, Pearl Harbor, Hawaii with Std. mooring lines doubled. Material condition Yoke (modified). Set. Receiving potable water & telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is Com ASW FOR PAC.

CWO Jal Hollis, USN

04-08 moored as before. 0640 made daily inspection of magazines. Conditions: normal. 0645 mustered the crew at Quarters. Absentees: none. 0708 Set the Special Sea and Anchor detail. Flt. Tng Opn observers onboard. Morning draft. Fwd. 14'-2" Aft. 16'-3". 0713 all stations manned & ready. Captain and Navigator on the Bridge. OOD has the Conn. 0719 Underway

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stgg RS Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 1 (Date) DECEMBER (Month) 19 64

04-08 (cont'd) Way in accordance with ComFltTraGpac OP-ord. 49-64. Maneuvering on various courses at various speeds while standing clear of berth and leading pair in the Outbound Channel. 0727 Base course 153 - speed 9.5 Kts. 0728 passed buoy 5 abeam to stbd - 100 yds. 0737 Passed Buoy #1 abeam to stbd. 75 yds. C/C 197 0739 secured the Special sea and anchor detail. Set Condition III Watch I. 0747 C/C 247 0748 entered International Waters.

CWO J.L. Hollis, USN

08-12 Underway as before. 0800 Exercised the ship control crew at Loss of Steering. 0803 C/S 3.3. 0805 C/C 151°. 0808 Secured from Steering drill. C/S 6.7 Kts. 0811 C/C 161°. 0815 LTJG MASON has the Conn. 0819 Exercised the crew at General Quarters - Commencing FltTraGpac Battle problem exercise. Steering various Courses + speeds to conform to exercise requirements. 0854 entered atomic phase of problem. 0939 Secured from General Quarters. 0960 Set the Special sea and Anchor detail. Course 330°, 0962 C/S 9.5 Kts. 0950 entered inland waters, Captain + navigator on the Bridge. 1003 passed Buoy #2 abeam to stbd. 100 yds, Commenced Steering Base Course 333°, at various speeds while entering port. 1015 passed Buoy 6 abeam to Stbd. 50 yds. Commenced approach to Alfa berths 1022 moored Stbd. side to Alfa Three (3) berth U.S. naval station, Pearl Harbor, Hawaii. 1027 Secured the Special sea and anchor detail. Set the regular inport Watches. ~~Hot made daily inspection of Magazine temperatures. Conditions Normal.~~ DS on RR

CWO J.L. Hollis, USN

12-16 moored as before. 1200 Set the special sea and anchor detail. 1211 Captain and navigator on the Bridge. Lt.jg. Mason has the Conn. 1252 all stations manned + ready. 1254 Underway for local op area IAW ComFltTraGpac Weekly op-ord - 49-64 to lay basic gear. Maneuvering on various courses + speeds to clear berth. 1302 on course 000°, proceeding to Buoy X-12-S. 1304 OOD has the Conn. Steering various courses + speeds for safe passage to Buoy X-12-S. 1315 entering middle Loch Channel. Passing buoy 21 to stbd. 150 yds. 1330 Commence approach to basic gear position. 1342 Anchored in mid Loch Channel near Buoy X-12-S in 38 Feet of water to port Anchor. 35 fathoms of chain on scope. mud + coral bottom, on following bearings - Signal tower 196°, Island 144°, Range 075°. Commenced Basic gear exercise. 1454 commenced recovering all gear. Underway. Captain + navigator on the Bridge OOD has the Conn. 1523 Anchored

APPROVED: EXAMINED:

LT. James R. Williams U.S.N. COMMANDING Lt(jg) D.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 1 (Date) December (Month) 19 64

12-16 (cont'd) in 38 feet of water, mud & coral Bottom, 35 fathoms of chain on deck to port anchor. Bearings. Signaltower 181°, Ford Island 153°, Hickam 253°, Range 204°, Recovering Tells anchor & gear.

CWO JL Hollis, USN

16-20 Anchored as before. 1601, Underway - Captain & navigator on the bridge and has the comm. Proceeding out middle lock Channel to Alfa piers. Maneuvering on various courses & speeds. 1618 C/C 180° Base - speed 9.5 Kts. 1623 Passing Rigaung Range station. 1628 commenced approach to Alfa berth. 1636 moored stbd. side to berth Alfa Three (A-3) U.S. Naval Station, Pearl Harbor, Hawaii, with std. mooring lines doubled. 1642 Secured the special sea and anchor detail set the inport watch.

CWO JL Hollis, USN

16-20 (cont) Moored as before. 1800 Set Material condition "Yoke" modified.

Stgs RS Mason, USN

20-24 Moored as before.

Stgs RS Mason

APPROVED:

Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED:

Stgs RS Mason, USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Wednesday (Day) 2 (Date) December (Month) 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L 158-30-50	BY	3
λ 21-30-50	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM NONE (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 63

FUEL CONSUMED 0000–2400: 630

REMARKS

~~0~~-00-04 Moored starboard side to in berth alfa Three U.S. Naval Station, Pearl Harbor Hawaii with standard mooring line doubled. Material condition Yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is COMASWFORPAC.

Ltjg RS Nasen, USN

04-08 Moored as before. 0403 USS Ute at berth Alfa two reported flooding in shaft alley. Assistance not required. 0500 Mustered the crew at quarters (absentees none; ~~0500~~ Commenced making preparations to get underway. 0525 Set the special sea and anchor detail. Captain and Navigator on the bridge. The OOD has the conn. 0534 Completed making preparations for getting underway ~~0534~~ 0543 Underway from berth A-3 to local Op areas G2.G4 to conduct gunnery exercises in accordance with

APPROVED: EXAMINED:

H. James R. Williams U.S.N. COMMANDING — Ltjg RS Nasen U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abraki (ATF-96) ZONE DESCRIPTION +10W DATE WEDNESDAY 2 DEC, 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	Sct	2994	76	70	5	1800	Cu			
02	040	2	10	Sct	2992	76	70	4	1800	Cu			
03	040	2	10	Sct	2990	76	71	4	1800	Cu			
04	040	2	10	Sct	2990	78	71	4	1800	Cu			
05	045	2	10	Sct	2992	78	71	4	1800	Cu			
06	060	4	10	Sct	2990	78	71	4	1800	Cu			
07	100	15	10	Sct	2992	77	72	4	2000	Cu			
08	255	13	10	Sct	2993	78	73	3	2000	Cu			
09	100	13	10	Sct	2991	78	73	3	2000	Cu			
10	100	13	10	Sct	2989	80	73	3	2000	Cu			
11	100	13	10	Sct	2989	84	75	4	2000	Cu			
12	095	15	10	Sct	2987	84	75	4	2000	Cu			
13	100	14	10	Sct	2988	84	75	4	2000	Cu			
14	100	15	10	Sct	2988	84	75	4	2000	Cu			
15	100	15	10	Sct	2988	84	74	4	2000	Cu			
16	040	4	10	Sct	2989	81	74	4	2000	Cu			
17	040	4	10	Sct	2989	80	73	4	2000	Cu			
18	040	4	10	Sct	2987	76	72	4	2000	Cu			
19	040	3	10	Sct	2990	76	71	4	2000	Cu			
20	040	3	10	Sct	2989	74	70	4	2000	Cu			
21	040	3	10	Sct	2990	72	69	4	2000	Cu			
22	040	2	10	Sct	2992	73	68	4	2000	Cu			
23	040	2	10	Sct	2993	71	68	4	2000	Cu			
24	040	1	10	Sct	2994	70	68	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L 158-30-50	BY	3
λ 21-30-30	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM NONE (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 63

FUEL CONSUMED 0000-2400: 630

REMARKS



APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 2 (Date) DECEMBER (Month) 1964

04-08 (CON'T) COMFLTRAGRU OPORDER 49-64. 0544 Commenced steering various courses at various speeds to clear berth and head fair the channel. 0549 C/S 6.7 C/C 173. 0550 Passed buoy 7 abeam to stbd distance abeam 75 yds. 0551 Commenced steering various courses at various speeds to conform with Pearl Harbor Channel. 0554 Passed buoy 5 abeam to stbd distance abeam 50 yds. 0600 Passed buoy 3 abeam to stbd, distance abeam 50 yds. 0602 passed sea buoy 1 abeam to stbd distance abeam 50 yds. 0606 Secured the special sea and anchor detail. 0617 Entered internal waters; C/C 158°. 0618 C/C 209 C/S 12.3 KTS. 0630 C/S 13.3 KTS.

LTjg RS Mason USN

08-12 Underway as before. 0800 C/C 235 C/S 12.3 KTS. 0813 Exercised the crew at gun general quarters. 0820 Set Material condition Zebra. 0824 Commenced 2-3-G exercise. 0844 Commenced firing to starboard. 0847 Ceased fire. 0850 Commenced firing to starboard. ~~0855 Ceased fire. 0903 Secured from 2-3-G exercise~~. 0855 Ceased fire. 0900 Commenced firing to starboard. 0903 Ceased fire. 0908 Commenced fire to port 0911 Ceased fire. 0917 Commenced fire to stbd. 0919 Ceased fire. 0920 Completed 2-3-G exercise Expended 16 Rds VT Non Frag. 0921 C/C 270. 0925 C/S 9.5 KTS. 0926 Commenced maneuvering to recover target sleeve. 0926 Set Material condition Yoke. 0927 Secured from general quarters. 0930 Recovered target sleeve. 0948 C/C 070. 0955 C/C 090. 0953 Exercised the crew at general quarters. 0958 Set Material condition Zebra; C/C 110. 1008 C/C 125° 1011 Commenced 2-21-G. 1012 C/C 110°. 1015 C/C 245. 1020 Commenced fire. 1020 C/C 065. 1025 Ceased fire. 1033 Commenced fire 1035 Ceased fire. 1043 Commenced fire. 1047 Ceased fire. 1050 Commenced fire. 1053 Ceased fire. Completed exercise 2-21-G expended 24 Rds 1107 Commenced 2-27-G exercise. 1109 Commenced fire. 1112 Ceased fire. 1114 Completed exercise 2-27-G expended 6 Rds 1115 Commenced exercise 2-30-G. 1135 Commenced fire. 1137 Cease fire. Completed exercise 2-30-G expended ~~3~~ 5 Rds. 1138 Set material condition Yoke. 1144 C/S 6.7. 1146 Secured from General quarters. 1147 C/C 060

LTjg RS Mason, USN

APPROVED:

LT James R. Williams U.S.N. COMMANDING

EXAMINED:

LTjg RS Mason, USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (AFT-96) Wednesday (Day) 2 (Date) December (Month) 19 67

12-16 UNDERWAY AS BEFORE. 1301 A/E STOP 1303 A/E AHEAD 6.7 KNOTS. 1336 C/C TO 028° 1337 C/S TO 3.3 KTS. 1342 C/S TO 6.7 KTS. 1348 C/S TO 12.3 KTS. 1418 A/E STOP 1420 A/E AHEAD 9.3 KTS. 1425 C/S TO 12.3 KTS. 1428 C/S TO 9.3 KTS 1434 C/S TO 6.7 KTS. 1435 C/S TO 9.3 KTS. 1446 SET MATERIAL CONDITION ZEBRA IN ENGINEERING SPACES. 1450 COMMENCED FULL POWER RUN. 1504 A/E STOP SECURED FROM FULL POWER RUN C/C TO 005° 1510 A/E AHEAD 12.3 KTS. 1513 C/C TO 010° 1529 C/C TO 333 SET MATERIAL CONDITION YOKE. ENTERED INLAND WATERS 1530 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. 1532 C/C TO 321° C/S TO 9.3 KTS. 1534 C/C TO 328° 1540 C/S TO 6.7 KTS. 1542 PASSED PEARL HARBOR SEA BUOY #2 ABEAM TO STARBOARD 100 YDS. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1550 PASSED CHANNEL BUOY #4 ABEAM TO STARBOARD, 100 YDS. 1555 PASSED CHANNEL BUOY #6 ABEAM TO STARBOARD 60 YDS. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH ALFA THREE. US NAVAL STATION, PEARL HARBOR. 1603 MOORED BERTH ALFA THREE, US NAVAL STATION, PEARL HARBOR, HA LSH LSH

LTJG LE Harton USN

16-20 ~~(CONTINUED)~~ MANEUVERING AS BEFORE 1603 MOORED STARBOARD SIDE TO IN BERTH ALFA THREE, US NAVAL STATION, PEARL HARBOR, HAWAII 1607 DOUBLED UP ALL LINES. SECURED SPECIAL SEA AND ANCHOR DETAIL LSH

LTJG LE Harton USN

16-20 (continued) Moored as before 1800 Set condition yoke modified.

Ens C. P. McPeyrie, USNR

20-24 Moored as before

Ens C. P. McPeyrie, USNR

APPROVED: LT James R. Nicholson U.S.N. COMMANDING

EXAMINED: Lt(jg) RSB Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Glonaki (AFF-96) ZONE DESCRIPTION +10W DATE Thursday (Day) 3 (Date) December (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	R	2994	73	70	6	2000	Cu			
02	040	2	10	R	2995	73	70	4	2000	Cu			
03	040	2	10	R	2993	73	69	6	2000	Cu			
04	060	7	10	L	2993	74	71	5	2000	Cu			
05	080	7	10	L	2994	74	71	5	2000	Cu			
06	100	8	10	Sct	2992	74	72	4	2000	Cu			
07	100	10	10	Sct	2990	75	73	4	2000	Cu			
08	100	12	10	Sct	2988	76	73	4	2000	Cu			
09	105	14	10	Sct	2987	81	73	4	2000	Cu	80	100	3
10	080	17	10	Sct	2985	83	74	4	2000	Cu	80	100	3
11	080	14	10	Sct	2985	83	74	4	2000	Cu	80	100	3
12	075	13	10	Sct	2985	83	74	4	2000	Cu	80	100	3
13	065	12	10	Sct	2985	85	74	4	2000	Cu	80	100	3
14	040	16	10	Sct	2985	87	74	4	2000	Cu			
15	040	14	10	Sct	2984	88	74	4	2000	Cu			
16	040	10	10	Sct	2982	86	73	4	2000	Cu			
17	060	7	10	Sct	2979	86	73	4	2000	Cu			
18	040	7	10	Sct	2980	85	73	4	2000	Cu			
19	040	7	10	Sct	2981	84	73	4	2000	Cu			
20	040	6	10	Sct	2982	82	72	4	2000	Cu			
21	040	5	10	Sct	2983	80	72	4	2000	Cu			
22	040	4	10	Sct	2984	79	71	4	2000	Cu			
23	040	4	10	Sct	2984	77	71	4	2000	Cu			
24	040	4	10	Sct	2984	77	71	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L 158-30-30	BY	3
λ 21-30-30	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM NONE (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 28

FUEL CONSUMED 0000-2400: 186

REMARKS

00-04 Moored starboard side to in berth Afg-three (A-3) U.S. Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet Destroyer and yard Craft. SOPA is ComAmForPac.

Ens C. P. McGeorge, USNR

~~00-04 Moored on before 0745 Mustered the crew at quarters~~ ~~Absentees: none~~ 0545 Commenced making preparations for getting under way. 0645 Mustered the crew at quarters. Absentees: none. 0710 Stationed the sea and anchor detail Ens C. P. McGeorge, USNR 0712 Completed all preparations for getting underway. Draft: forward 14' 1", aft 16' 6". 0722 Underway for local operations in accordance with Comfltwing one weekly op-order 49-64.

APPROVED:

LT. James R. Robertson U.S.N. COMMANDING

EXAMINED:

Ltjg R D Moon, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 3 (Date) DECEMBER (Month) 19 64

Ø4-08 (continued) Maneuvering to clear the berth. OOD for the Comm Captain & Navigator on the bridge. Steering various courses at various speeds while standing out of the harbor. Ø728 Buoy 9 abeam to starboard. Ø732 Buoy 5 abeam to stbd. Ø734 Buoy 3 abeam to stbd. Ø741 Buoy 1 abeam to stbd. Ø743 Secured the special sea and anchor detail. Ø748 Entered inland waters

Ltjg C.P. McKenzie, USNR

08-12 Underway as before. 0800 C/C 105°. 0803 C/S 6.7 KTS. 0816 Commenced engineering drills. 0830 Secured from Engineering drills; C/C 120 0853 C/C 090. 0909 Exercised the crew at general quarters. 0912 Set material condition Zebra. 0928 Commenced Damage Control Drills 1031 Completed D.C. Drills. 1033 Set Material condition Yoke. 1037 Secured from General Quarters. 1100 Made daily inspection of magazines; conditions Normal. 1102 C/S 9.5 KTS 1163 C/S 12.3 KTS. 1120 Commenced full power trial run. 1130 C/C 270.

Ltjg R.D. Mason, USN

12-16 UNDERWAY AS BEFORE 122Ø COMPLETED FULL POWER RUNS. SET CONDITION YOKE. 1227 C/S TO 12.3 KTS. 1233 C/C TO 333° 1238 C/S 9.5 KTS. 1240 C/C TO 340° 1244 C/C 328 C/S TO 12.3 KTS. 1301 C/C TO 330. 1304 C/C TO 336°. 1305 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN 1306 ENTERED INLAND WATERS. 1310 C/S TO 9.5 KTS. 1312 PASSED PEARL HARBOR SEA BUOY #2 ABEAM TO STBD 1000 YDS. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1327 PASSED BUOY #6 ABEAM TO STBD. 75 YDS. COMMENCED MANEUVERING TO APPROACH AND MOOR IN BERTH ALFA THREE U.S. NAVAL STATION, PEARL HARBOR. 1333 MOORED STARBOARD SIDE TO IN BERTH ALFA THREE. 1335 DOUBLED UP ALL LINES, SECURED SPECIAL SEA AND ANCHOR DETAIL.

LTJG LE Horton USN

12-16 (CONTINUED) MOORED AS BEFORE.

LTJG LE Horton USN

16-20 MOORED AS BEFORE. 1755 EXERCISED DUTY SECTION AT FIRE QUARTERS. 1827 SECURED FROM FIRE QUARTERS. SET MODIFIED MATERIAL CONDITION YOKE.

LTJG LE Horton USN

20-24 MOORED AS BEFORE

LTJG LE Horton USN.

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg R.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 4 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	SCT	2987	75	70	2	2000	CU			
02	040	3	10	SCT	2987	75	70	2	2000	CU			
03	040	3	10	SCT	2987	75	70	2	2000	CU			
04	040	3	10	SCT	2985	72	70	2	2000	CU			
05	040	4	10	SCT	2987	79	69	2	2000	CU			
06	040	5	10	SCT	2986	75	68	2	2000	CU			
07	040	5	10	SCT	2987	69	68	2	2000	CU			
08	040	5	10	SCT	2987	69	68	2	2000	CU			
09	040	5	10	SCT	2990	69	67	2	2000	CU			
10	040	5	10	SCT	2990	69	67	2	2000	CU			
11	040	5	10	SCT	2990	69	67	2	2000	CU			
12	040	3	10	SCT	2990	83	74	2	2000	CU			
13	040	3	10	SCT	2987	82	73	2	2000	CU			
14	040	3	10	SCT	2985	80	72	2	2000	CU			
15	040	3	10	SCT	2983	82	72	2	2000	CU			
16	040	4	10	SCT	2981	83	71	3	2000	CU			
17	040	5	10	SCT	2981	83	73	4	2000	CU			
18	040	5	10	SCT	2982	80	75	2	2000	CU			
19	045	5	10	SCT	2982	80	72	5	2000	CU			
20	045	5	10	SCT	2985	79	70	5	2000	CU			
21	045	5	10	SCT	2988	75	70	5	2000	CU			
22	045	5	10	SCT	2988	75	70	5	2000	CU			
23	045	5	10	SCT	2990	72	69	5	2000	CU			
24	045	5	10	SCT	2990	70	69	4	2000	CU			

POSITION	ZONE	TIME
0800		
L 158-32-30	BY	3
λ 21-30-30	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM NONE (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 20

FUEL CONSUMED 0000-2400: 225

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH ALFA THREE, US NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT SOPA IS ~~COMSUBPACFLT~~ COMASWFORPAC

LTJG LE Horton USN.

Ø4-Ø8 MOORED AS BEFORE. Ø645 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE. Ø71Ø SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. Ø74Ø UNDERWAY FROM BERTH ALFA THREE, US NAVAL STATION, PEARL HARBOR, HAWAII IN ACCORDANCE WITH COMFLTRAGRU OPORD 49-64. MANEUVERING VARIOUS COURSES AND SPEEDS TO

APPROVED: Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 4 (Date) DECEMBER (Month) 1964

Φ4-Φ8(CONTINUED) CLEAR BERTH AND HEAD FAIR IN CHANNEL Φ747 HEADED FAIR IN CHANNEL ON COURSE 155° A/E AHEAD 6.7 KTS. PASSED CHANNEL BUOY #7 ABEAM TO STARBOARD 1ΦΦ YDS MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL

LTJG LE Horton USN

Φ8-12 UNDERWAY AS BEFORE. Φ8Φ2 BUOY #2 ABEAM TO LSH ~~PORT~~ STARBOARD - 1ΦΦ YDS. SECURED SPECIAL SEA AND ANCHOR DETAIL. SET CONDITION THREE WATCHES. Φ8Φ3 C/C TO 197° Φ818 C/C TO 248°. Φ832 C/C TO 151°. *Φ840 C/S TO 10.3KTS C/C TO Φ55° SECURED FROM CONDITION THREE WATCHES Φ848 C/C TO ΦΦΦ° Φ917 STATIONED THE ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. C/C TO Φ4Φ° C/S TO 6.7KTS. Φ922 C/C Φ3Φ C/S TO 3.3 KTS. Φ925 C/C TO Φ17° Φ927 A/E STOP Φ930 A/E BACK 2/3 Φ931 A/E STOP LET GO PORT ANCHOR. ANCHORED IN 26 FATHOM OF WATER WITH 30 FATHOM OF CHAIN. SAND AND CORAL BOTTOM ON THE FOLLOWING BEARINGS. KGU RADIO TOWER 323° LARONDA 353° ROYAL HAWAII CUPULO 341° Φ935 COMMENCED HEAVING AROUND ON THE ANCHOR Φ946 ANCHOR IS AWEIGH. Φ942 A/E AHEAD 3.3KTS. Φ95Φ C/C TO 220° Φ951 C/S TO 6.7KTS 1ΦΦ2 C/C TO Φ4Φ° 1ΦΦ2 C/C TO Φ35°. 1ΦΦ9 C/C TO Φ26° ~~1ΦΦ~~ 1Φ12 C/S TO 33 KTS. 1Φ13 C/C TO Φ2Φ° 1Φ14 A/E STOP 1Φ16 A/E BACK 2/3 LET GO PORT ANCHOR IN 26 FATHOM OF WATER CORAL AND SAND BOTTOM. ANCHOR WITH 30 FATHOM OF CHAIN ON THE FOLLOWING BEARINGS KGU RADIO TOWER 323° LARONDA 353° ROYAL HAWAII CUPOLO 341° A/E STOP 1Φ24 COMMENCED HEAVING AROUND ON ANCHOR 1Φ29 ANCHORS AWEIGH 1Φ32 A/E AHEAD 3.3KTS. 1Φ33 C/S TO 12.3 KTS. ON COURSE 260° 1Φ44 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS: NORMAL. 1Φ47 C/C TO 265° 1Φ58 C/S TO 3.3KTS. 1Φ59 A/E STOP 11ΦΦ A/E BACK 1/3 A/E STOP 11Φ6 A/E AHEAD 2/3 C/C TO ΦΦΦ° 1107 C/S TO 11.3KTS 1111 C/C TO 1ΦΦ° 1152 C/C TO 29Φ° 1158 C/S TO 3.3KTS *0839 Entered international waters.

LTJG LE Horton

12-16. Underway as before. 1230 Held man overboard drills. 1258 Secured from man overboard drills. 1302 Commenced making preparations to enter port. 1303 C/S 12.3. 1305 C/C 280°. 1325 C/C 333° 1327 C/C 335; Set the special sea and anchor detail. 1329 Entered inland waters. 1335 Commenced steering various courses at various speed to conform with Pearl Harbor Channel. 1336 Passed Sea buoy #1 abeam to port distance about 25 yds. 1339 Passed buoy 3 abeam to port. 1344 Passed buoy 6 abeam to port distance about 100 yds. 1347 Commenced steering various courses at various speeds to approach pier. 1353 Moored in berth Alfa Three, U.S. Naval Station, Pearl Harbor Hawaii. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is COMASWFORPAC.

Lt(jg) DS Mason, USN

APPROVED: EXAMINED:

Lt. James R. Hutchinson U.S.N. COMMANDING Lt(jg) DS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Friday (Day) 4 (Date) Dec (Month) 1964

12-16 (CONT) Moored as before.

CWO Jd Hallis, USN

16-20 Moored as before. 1800 Set Material Condition Yoke.

CWO Jd Hallis, USN

20-24 Moored as before.

CWO Jd Hallis, USN

APPROVED: Lt. James R. Sakelarios U.S.N. COMMANDING

EXAMINED: Ltjg R D Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 DATE Saturday (Day) 5 (Date) Dec (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	2989	77	74	2	2000	Cu			
02	040	2	10	sct	2989	71	74	2	2000	Cu			
03	040	2	10	sct	2990	78	74	2	2000	Cu			
04	040	2	10	sct	2991	78	74	2	2000	Cu			
05	040	2	10	sct	2991	78	72	2	2000	Cu			
06	040	2	10	sct	2992	79	72	2	2000	Cu			
07	040	2	10	sct	2993	75	72	3	2000	Cu			
08	040	2	10	sct	2993	80	72	3	2000	Cu			
09	040	2	10	sct	2994	80	72	3	2000	Cu			
10	050	2	10	sct	2994	81	72	2	2000	Cu			
11	050	2	10	sct	2995	81	72	2	2000	Cu			
12	050	2	10	sct	2995	83	72	2	2000	Cu			
13	050	2	10	sct	2994	85	72	2	2000	Cu			
14	050	2	10	sct	2994	86	72	2	2000	Cu			
15	050	2	10	sct	2994	84	72	2	2000	Cu			
16	050	2	10	sct	2994	83	72	2	2000	Cu			
17	050	2	10	sct	2993	82	72	2	2000	Cu			
18	050	2	10	sct	2993	81	72	2	2000	Cu			
19	050	2	10	sct	2993	80	72	2	2000	Cu			
20	050	2	10	sct	2993	80	72	2	2000	Cu			
21	050	2	10	sct	2993	79	72	2	2000	Cu			
22	050	2	10	sct	2993	79	72	2	2000	Cu			
23	050	2	10	sct	2991	79	72	2	2000	Cu			
24	050	2	10	sct	2990	79	71	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 884

REMARKS

00-04 Moored ~~as~~ starboard side to in berth Alfa Three U.S. Naval Station, Pearl Harbor Hawaii with standard Mooring lines doubled. Material ~~condition~~ condition "Yoke" modified is set. Receiving potable water and telephone services from the Pier. Ships present include various units of U.S. Pacific Fleet Yard and district craft. SOPA is COMNAVSTA FOR PAC.

CWO J.C. Wallis, USN

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: none.

CWO J.C. Wallis, USN

APPROVED: H. James R. Jackson U.S.N. COMMANDING

EXAMINED: Stys P.S. Nason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Almobi (AFF-96) Saturday 5 December 1964
(Day) (Date) (Month)

08-12 Moored as before. 1057 Made daily inspection of magazine conditions normal.

Stgy RS Mason, USN

12-16 Moored as before. 1500 Comp for Fet assumed duties as LOPA.

Stgy RS Mason

16-20. Moored as before. 1800 Set Material condition Yoke (Modified)

Stgy RS Mason, USN

20-24 Moored as before.

Stgy RS Mason, USN

APPROVED: EXAMINED:

Lt. James R. Williams U.S.N. COMMANDING Stgy RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION HOW DATE Sunday (Day) 6 (Date) December (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	2	10	Sct	2988	71	69	2	2000	Cu			
02	130	2	10	Sct	2988	70	69	2	2000	Cu			
03	130	2	10	Sct	2986	72	69	2	2000	Cu			
04	120	2	10	Sct	2984	71	69	2	2000	Cu			
05	120	1	10	Sct	2984	71	69	2	2000	Cu			
06	150	1	10	Sct	2982	71	69	2	2000	Cu			
07	140	1	10	Sct	2984	70	68	2	2000	Cu			
08	130	1	10	Sct	2987	73	70	2	2000	Cu			
09	0	0	10	Sct	2989	75	72	2	2000	Cu			
10	0	0	10	Sct	2991	78	73	2	2000	Cu			
11	0	0	10	Sct	2993	82	74	2	2000	Cu			
12	040	2	10	Sct	2995	83	74	2	2000	Cu			
13	040	2	10	Sct	2993	83	74	3	2000	Cu			
14	030	2	10	Sct	2992	83	74	3	2000	Cu			
15	030	1	10	Sct	2991	85	74	3	2000	Cu			
16	030	1	10	Sct	2988	88	74	4	2000	Cu			
17	030	1	10	Sct	2988	80	73	4	2000	Cu			
18	030	1	10	Sct	2988	77	72	4	2000	Cu			
19	040	1	10	Sct	2990	77	72	4	2000	Cu			
20	0	0	10	Sct	2992	76	72	4	2000	Cu			
21	0	0	10	Sct	2992	75	72	4	2000	Cu			
22	0	0	10	Sct	2992	75	72	5	2000	Cu			
23	0	0	10	Sct	2992	75	72	4	2000	Cu			
24	040	2	10	Sct	2992	75	72	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L HW JOHT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 150

REMARKS

00-04 Moored starboard side to in berth Alfa Three U.S. Naval Station; Pearl Harbor Hawaii with Standard Mooring lines doubled. Material condition Yoke (Modified is set. Receiving potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and destroyer craft. SOPA is CINCPACFLT.

LTjg R S Mason, USN

04-08 Moored as before. 0745 Mustered the crew on Stations absentees; None.

LTjg R S Mason USN

APPROVED:

LT. James R. Hutchinson U.S.N. COMMANDING

EXAMINED:

LTjg R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Sunday (Day) 6 (Date) December (Month), 19 67

0800-1200 Moored as before. 1115 Made daily inspection of the ~~ma~~ magazines. Condition: Normal

Ens C.P. McKenzie, USNR

1200-1600 Moored as before.

Ens C. P. McKenzie, USNR

1600-2000 Moored as before. 1800 set condition yoke modified.

Ens C. P. McKenzie, USNR

2000-2400 Moored as before.

Ens C.P. McKenzie, USNR

APPROVED: Lt James L. Williams U.S.N. COMMANDING

EXAMINED: Ltjg D.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ASF-96) ZONE DESCRIPTION +10W DATE Monday 7 December 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	Sct	2992	73	70	4	2000	Cu			
02	040	4	10	Sct	2990	73	69	4	2000	Cu			
03	040	4	10	Sct	2989	72	69	3	2000	Cu			
04	040	3	10	Sct	2989	70	69	3	2000	Cu			
05	040	3	10	Sct	2990	72	69	3	2000	Cu			
06	040	3	10	Sct	2991	73	69	3	2000	Cu			
07	040	3	10	Sct	2993	73	70	3	2000	Cu			
08	060	4	10	Sct	2995	74	70	3	2000	Cu			
09	080	5	10	Sct	2995	76	74	3	2000	Cu			
10	100	3	10	Sct	2996	82	74	3	2000	Cu			
11	230	4	10	Sct	2993	88	73	3	2000	Cu			
12	230	4	10	Sct	2990	93	75	3	2000	Cu			
13	230	2	10	Sct	2987	86	74	3	2000	Cu			
14	230	2	10	Sct	2986	90	77	3	2000	Cu			
15	230	3	10	Sct	2986	88	76	3	2000	Cu			
16	230	3	10	Sct	2986	90	75	3	2000	Cu			
17	230	3	10	Sct	2987	90	74	3	2000	Cu			
18	230	2	10	Sct	2988	81	74	3	2000	Cu			
19	230	2	10	Sct	2988	81	71	4	2000	Cu			
20	230	2	10	Sct	2988	78	71	4	2000	Cu			
21	230	3	10	Sct	2989	78	71	4	2000	Cu			
22	230	3	10	Sct	2991	78	71	4	2000	Cu			
23	230	3	10	Sct	2992	76	71	4	2000	Cu			
24	230	3	10	Sct	2989	75	71	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 223

REMARKS

00-04 Moored starboard side to in berth Alfa Three US Naval Base Pearl Harbor, Hawaii. with standard mooring lines doubled. Material Condition yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and yard capt. SOPA is Comfortfet.

Ens C. P. McKenzie, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: None.

Ens C. P. McKenzie, USNR

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Lt(jg) R. S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 7 (Date) DECEMBER (Month), 19 64

0800-1200 MOORED AS BEFORE. 1100 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

LTJG LE Horton USN

1200-1600 MOORED AS BEFORE

LTJG LE Horton USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE MODIFIED

LTJG LE Horton USN

2000-2400 MOORED AS BEFORE.

LTJG LE Horton USN

APPROVED: Lt. James R. Adelkamp U.S.N. COMMANDING

EXAMINED: Sigs P D Pace U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 8 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	SCT	2987	76	73	5	2000	CU			
02	040	3	10	SCT	2985	75	72	5	2000	CU			
03	040	2	10	SCT	2986	75	72	3	2000	CU			
04	070	4	10	SCT	2986	74	72	4	2000	CU			
05	070	3	10	SCT	2986	73	72	3	2000	CU			
06	070	3	10	SCT	2986	74	73	3	2000	CU			
07	070	2	10	SCT	2987	75	74	3	2000	CU			
08	065	11	10	SCT	2988	78	72	3	2000	CU			
09	050	10	10	SCT	2988	80	73	3	2000	CU	80	100	2
10	060	6	10	SCT	2986	82	73	4	2000	CU	80	100	2
11	080	4	10	SCT	2988	84	73	4	2000	CU	80	100	2
12	145	3	10	SCT	2985	80	75	1	2000	CU	80	100	2
13	050	4	10	SCT	2984	80	75	1	2000	CU	80	100	2
14	050	4	10	SCT	2983	80	75	1	2000	CU	80	100	2
15	065	4	10	SCT	2981	80	75	1	2000	CU	80	100	2
16	030	2	10	SCT	2977	84	79	1	2000	CU	80	100	2
17	030	6	10	SCT	2979	84	77	1	2000	CU	80	100	2
18	035	5	8	R	2978	83	78	4	1800	CU			
19	035	4	8	R	2978	83	78	5	1800	CU			
20	035	4	8	R	2977	83	78	5	1800	CU			
21	030	3	8	R	2977	83	77	5	1800	CU			
22	030	3	8	R	2978	82	77	5	1800	CU			
23	030	3	8	R	2978	83	78	4	1800	CU			
24	030	3	8	R	2977	83	78	4	1800	CU			

POSITION	ZONE	TIME
0800		
L 15-30-50	BY	3
λ 21-30-30	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM NONE (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 65

FUEL CONSUMED 0000-2400: 1452

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALFA THREE U.S. NAVAL STATION, PEARL HARBOR, HAWAII. WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

LTJG LE Hawkins

04-08 MOORED AS BEFORE. 0700 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE. 0710 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. DRAFT. 13' 3" FWD 16' AFT. 0740 UNDERWAY IN ACCORDANCE WITH COMFLTRAGRU OP-ORD 50-64. MANEUVERING TO CLEAR BERTH AND HEAD FAIR IN THE CHANNEL. 0751 HEADED FAIR IN CHANNEL ON COURSE 155° SPEED 6.7 KTS

APPROVED: LT James R. Robertson U.S.N. COMMANDING

EXAMINED: Lt(jg) R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 8 (Date) DECEMBER (Month) 19 64

0400-0800 (CONT) PASSING BUOY #9 ABEAM TO STARBOARD 1000 YDS. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL.

LTJG LE Horton USN

0800-1200 UNDERWAY AS BEFORE. 0804 BUOY #1 ABEAM TO STARBOARD 1000 YDS C/C TO 185° A/E AHEAD 12.3 KTS. SECURED SPECIAL SEA AND ANCHOR DETAIL 0809 C/C TO 170° 0812 C/C TO 145° 0817 C/C TO 105°. 0829 C/S TO 6.7 KTS. 0833 C/C TO 032 STATIONED THE ANCHORING DETAIL. COMMENCED APPROACH TO ANCHORAGE #208 CONDUCTING EXERCISE Z-5-N. 0845 C/S TO 9.5 KTS. 0848 ENTERED INLAND WATERS. COMMENCED MANEUVERING TO APPROACH ANCHORAGE. 0903 LET GO PORT ANCHOR IN 14 FATHOM OF WATER, GRAY SAND BOTTOM. HOLDING 30 FATHOM OF CHAIN ON DECK. ANCHORED ON FOLLOWING BEARINGS: KGU TOWER 095° RANGE 031° LARONDA 066°. 0905 COMMENCED HAULING UP THE ANCHOR. 0909 ANCHORS AWEIGH. 0912 A/E AHEAD P/F RUDDER. 0920 C/S TO 9.5 KTS 0925 STEADY ON COURSE 210° SECURED FROM Z-5-N. 0928 ENTERED INTERNATIONAL WATERS 0930 C/C TO 030 COMMENCED APPROACH TO ANCHORAGE #208 FOR EXERCISE ~~2-70-C~~ 2-14-CC 0954 LET GO PORT ANCHOR IN 14 FATHOMS OF WATER, GRAY SAND BOTTOM, 30 FATHOM OF ANCHOR CHAIN ON DECK ON THE FOLLOWING BEARINGS. KGU TOWER 017° RADIO TOWER 095° ALOHA TOWER 351°. 0956 COMMENCED HEAVING IN ANCHOR 1000 ANCHORS AWEIGH. 1002 P/F RUDDER A/E AHEAD 9.5 KTS. 1004 ~~STAT~~ STEADY ON COURSE 250° C/S TO 12.3 KTS 1010 C/C TO 166° 1012 EXERCISED CREW AT FIRE QUARTERS. 1036 SECURE FROM FIRE QUARTERS EXERCISING CREW AT GENERAL QUARTERS, SET CONDITION ZEBRA. 1101 C/C TO 175° 1114 SET CONDITION YOKE. 1123 SECURED FROM GENERAL QUARTERS. 1159 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

LTJG LE Horton USN

1200-1600 Underway as before. 1244 C/S 3.5 KTS. 1251 C/C 320°; 1252 C/C 300°; 1255 C/S 6.7 KTS. 1257 Exercised the crew at General Quarters.

ENS Jd Hollis USNR

1200-1600 (cont) Underway as before 1301 Set Material condition Zebra. 1303 C/C 175. 1309 Commenced 2-21-G - Exercise for Operational Readiness Inspection. 1318 Commenced fire 1320 Ceased fire 1323 Commenced fire. 1327 Ceased fire. 1328 Completed 2-21-G exercise Expended 12 Rds. 1328 C/S 12.3 KTS. C/C 180. 1335 Commenced exercise 2-27-G. 1342 C/C 355°. 1343 Commenced fire 1345 Ceased fire; Completed exercise 2-27-G expended 6 Rds. 1348 C/S 3.3 KTS 1355 Commenced Damage Control exercise - Nuclear attack. 1455 Secured from D.C. exercise. 1506 C/C 000. 1509 C/C 050°.

APPROVED: LT. James R. Williams U.S.N. COMMANDING

EXAMINED: Lt(jg) RS Mead U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 8 DECEMBER (Date) (Month), 19 64

12-16 (CONT) 1525 Commenced exercise 2-3-G. 1526 Commenced fire 1537 Ceased fire. 1540 Commenced fire. 1543 Ceased fire. 1545 Secured fm 2-3-G expend 11 Rds VT Non Frag. 1546 Set material condition Yoke. 1547 C/S 12.3 KTS C/C 330. 1550 Secured fm general quarters.

LTjg RS Mason, USN

16-18 Underway as before. 1607 Commenced ORI engineering drills. 1610 Held loss of steering drill 1625 Secured fm drill. 1625 C/C 330. 1645 Secured fm ORI engineering drills. 1648 Held Manoverboard drill. 1703 Secured fm Man over board drill. 1738 C/S 13.3 KTS. 1740 C/C 343.

LTjg RS Mason

18-20 Underway as before. C/C 355. 1852 Commenced making preparations for entering port. 1854 C/C 333. 1855 C/C 337 1859 Set Cond I Special Sea and anchor detail. 1900 C/S 12.3 1902 Entered Inland waters; Captain and Navigator on the Bridge OOD has the conn. 1904 Passed Sea buoy 1 abeam to port; Commenced steering various courses at various speed to conform with Pearl Harbor Channel. 1908 Passed buoy 3 abeam to port. 1913 Passed buoy 6 abeam to stbd. 1920 Commenced maneuvering on various courses at various speeds to approach the pier. 1926 Moored outboard of USS Hitchiti (ATF 103) in berth Alfa Three, U.S Naval Station, Pearl Harbor Hawaii with Standard mooring lines doubled. Ships present include various units of the U.S. Pacific Fleet, Yard and district craft. SOPA is CINCPACFLT. 1931 Secured the Special Sea and Anchor detail.

LTJG JE Horton USN

20-24. Moored as before

CWO JL Hollis, USN

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Ltjg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE WEDNESDAY (Day) 9 (Date) DECEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	BKN	2981	75	72	6	2000	CU			
02	040	4	10	BKN	2982	76	73	6	2000	CU			
03	040	4	10	BKN	2981	75	72	6	2000	CU			
04	040	4	10	BKN	2981	75	72	6	2000	CU			
05	040	4	10	BKN	2981	75	72	6	2000	CU			
06	040	4	10	BKN	2982	76	73	7	2000	CU			
07	040	4	10	BKN	2982	76	73	7	2000	CU			
08	040	4	10	BKN	2982	78	74	8	2000	CU			
09	040	4	10	BKN	2982	79	74	8	2000	CU			
10	040	4	10	BKN	2982	82	74	9	2000	CU			
11	040	4	10	BKN	2983	87	74	9	2000	CU			
12	040	4	10	BKN	2980	93	80	9	2000	CU			
13	040	3	10	BKN	2980	93	80	9	2000	CU			
14	040	2	10	BKN	2979	93	80	9	2000	CU			
15	040	2	10	BKN	2978	91	77	9	2000	CU			
16	040	3	10	BKN	2979	87	78	9	2000	CU			
17	040	3	10	BKN	2980	84	76	9	2000	CU			
18	040	3	8	R	2981	82	75	10	2000	CU			
19	040	2	8	R	2982	79	74	10	2000	CU			
20	040	2	10	BKN	2984	79	74	9	2000	CU			
21	040	2	10	BKN	2984	79	74	8	2000	CU			
22	040	3	10	BKN	2984	79	74	8	2000	CU			
23	040	3	10	BKN	2983	78	73	8	2000	CU			
24	040	3	10	BKN	2982	78	73	8	2000	CU			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 375

REMARKS

00-04 moored stbd. side to and outboard of U.S.S. HITCHITI (ATF-103) with std. mooring lines doubled. HITCHITI moored stbd. side to berth alfa Three (A-3) U.S. Naval Station Pearl Harbor Hawaii. Material condition yoke (modified) set. Receiving potable water & telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is C in C pac Flt.

CWO J.L. Hollis, USN

04-08 moored as before. 0715 mustered the crew at Quarters. absentees: none. 0730 set the special sea and Anchor detail, Captain & Navigator on the Bridge, OOD has the conn. 0735 all Stations manned & Ready. 0745 got Underway IAW verbal orders from Nav Sta. port control shifting berths. maneuvering on various courses at various speeds to stand clear of traffic & approach berth alfa two (A-2)

APPROVED:

LT. James R. Robinson U.S.N. COMMANDING

EXAMINED:

Lt(jg) D.S. Nason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY 9 December 1964
(Day) (Date) (Month)

04-08 (cont) 0748 commenced approach to berth. 0757 moored port side to berth alfa two (A-2) U.S. Naval Station, Pearl Harbor, Hawaii, with std. mooring lines doubled. 0800 secured the special sea and anchor detail - set the regular inport watch.

CWO JL Hollis, USN

08-12 Moored as before. 0825 Made daily inspection of Magazine; conditions normal. 0839 Commenced ORI salvage emergency pumping exercise. 1045 Secured for pumping exercise

LTjg RS Mason, USN

12-16 Moored as before. 1300 commenced ORI Communications exercises. 1535 Secured for ORI Communications exercises.

LTjg RS Mason, USN

16-20 Moored as before. 1800 Set Material condition Yoke Modified

LTjg RS Mason, USN

20-24 Moored as before.

LTjg RS Mason, USN

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Thursday (Day) 10 (Date) December (Month), 1964

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	5	10	Sct	2982	77	73	5	3000	Cu			
02	040	6	10	Sct	2982	76	73	5	3000	Cu			
03	040	6	10	Sct	2982	76	73	4	3000	Cu			
04	040	6	10	Sct	2981	76	73	4	3000	Cu			
05	040	6	10	Sct	2979	76	73	4	3000	Cu			
06	040	7	10	Sct	2980	77	73	5	3000	St			
07	040	7	10	Sct	2980	74	72	5	3000	St			
08	040	5	10	Sct	2981	75	71	5	3000	St	080	100	.5
09	040	8	10	BKN	2983	78	72	8	3000	St	080	100	.5
10	050	7	10	X	2984	77	72	10	3000	St	80	100	1
11	050	7	10	R	2986	78	73	10	3000	St	80	100	1
12	050	10	10	R	2987	79	73	10	3000	St	80	100	1
13	050	7	10	R	2988	80	74	10	3000	St	80	100	1
14	050	7	10	R	2989	80	74	10	1000	St			
15	050	7	10	L	2990	80	74	10	1000	St			
16	050	5	10	R	2988	80	74	10	1000	St			
17	050	6	10	L	2986	80	74	10	1000	St			
18	050	5	10	L	2986	78	74	10	1000	St			
19	050	4	10	OVC	2986	78	71	10	1000	Sc			
20	030	4	10	OVC	2987	77	71	10	2000	Sc			
21	040	3	10	BKN	2987	77	71	8	2000	Sc			
22	040	3	10	BKN	2988	76	71	8	2000	Sc			
23	040	2	10	BKN	2988	76	71	8	2000	Sc			
24	040	2	10	BKN	2988	75	71	8	2000	Sc			

POSITION	ZONE	TIME
0800		
L 15°-31-5	BY	3
λ 21-30-3	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 278

FUEL CONSUMED 0000-2400: 594

REMARKS

00-04 Moored portside to in berth Alfa two, U.S. Naval Station, Pearl Harbor Hawaii with Stadad Mooring lines doubled.* Material condition Yoke Modified is set. Receiving potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet Yard and destroyer Craft. SOPA is CINCPACFLT * USCGC Planetree WAGL 307 moored outboard to starboard.

LTjg R.D. Mason, USN

04-08 Moored as before. 0630 Mustered the crew at quarters absentees: none; USCGC Planetree underway from alongside. 0650 Set the sectional sea detail. ~~Con~~ 0710 Completed making all preparations for getting underway. draft fwd 13'2" aft 16'3". 0730 Underway ~~for~~ OPArea ~~BP~~ to conduct ~~final~~ ORI ~~Battle~~ exercise ~~Problem~~ in accordance with COMFLTRAGRU OP ORDER 50-64. Captain and Navigator on the bridge. OOD has the Conn. 0735 Commenced steering various courses at various speeds

APPROVED: LT. James R. Schikram U.S.N. COMMANDING

EXAMINED: Ltjg R.D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 10 (Date) DECEMBER (Month), 19 64

04-08 (CONT) to 1st Sqdn berth at head fair in the channel. 0735 Passed buoy 6 abeam to port distance about 50 yds. 0737 Commenced steering various courses at various speeds to conform with Pearl Harbor Channel. 0739 Passed buoy 5 abeam to stbd. 0745 Passed buoy 3 abeam to stbd 0752 Passed sea buoy 1 abeam to stbd. 0754 Secured the sea detail.

Ltjg RD Mason, USN

08-12 Underway as before. 0803 C/C 230°. 0823 C/S 6 KTS. USS Current (ARS-38) took station off port stbd quarter. 0828 Made daily inspection of magazine; conditions normal. 0829 Entered Channel waters. 0832 C/C 085 0833 C/C 090°. 0840 Commenced exercise 2-10-CC in conjunction with USS Current (ARS-38). USS UTE (ATF-76) is target ship. 0845 C/S 5.6 KTS. 0850 C/C 089°. 0934 C/S 6.8 KTS. 0955 Secured for exercise 2-10-CC. 1000 C/C 305. 1004 C/S 3.3 KTS. 1006 SET THE TOWING detail. 1009 Captain has the conn. 1015 Commenced ORI 2-6-S exercise. USS UTE to take Abnaki in Tow. 1025 USS UTE (ATF-76) making approach. 1030 Heaving lines over from UTE; commenced heaving around on Messenger. 1036 Towing hawser is fast. 1038 USS UTE (ATF-76) has Abnaki under TOW. 1106 UTE secured from TOWING. 1108 Cast off Towing hawser. 1110 all lines clear. 1115 Commenced steering various courses at various speeds to approach USS UTE (ATF-76) to take her in tow. 1123 Shot line on board UTE. 1135 Towing hawser on board UTE. 1136 UTE cast off towing hawser. 1145 all lines clear of UTE. 1149 C/C 284.

LTjg DS Mason, USN

12-16. Underway as before. 1207 Set material condition Yoke. 1210 C/C 332. 1212 Set the special sea and anchor detail. 1213 Entered Inland waters. 1217 C/C 334. 1219 Passed sea buoy #1 abeam to Port. Captain and Navigator on the bridge. OOD has the Conn. 1223 Commenced steering various at various speeds to conform with Pearl Harbor Channel. 1222 Passed buoy 4 abeam to stbd 1232 Captain has the conn. 1233 Commenced steering various courses at various speeds to approach the pier. 1238 Moored berth Portside to in berth Alfa five, U.S. Naval Station, Pearl Harbor Hawaii. with standard mooring lines doubled. Ships present include various units of the U.S. Pacific Fleet Yard and district craft. SOPA is CINCPACFLT.

CWO Jal Hallis, USN

APPROVED: James R Calkins U.S.N. COMMANDING

EXAMINED: Ltjg DS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month) , 19 _____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Alnaki (AF5-76) Thursday (Day) 10th (Date) December (Month), 19 64

12-16 (CONT) MOORED AS BEFORE. 1246 RE-~~AMAN~~ MANNED SPECIAL SEA SEA DETAIL STATIONS. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 1316 UNDERWAY FROM BERTH ALFA FIVE US NAVAL STATION PEARL HARBOR IN ACCORDANCE WITH COMFLTRAGRU OP-ORD 50-62. MANEUVERING TO CLEAR BERTH AND HEAD FAIR IN CHANNEL. 1322 HEADED FAIR IN CHANNEL ON COURSE 153° SPEED 9.5 KTS. 1326 ℄S TO 8 KTS. BUOY #7 ABEAM TO STBD 100 YDS. 1327 ℄S TO 9.5 KTS. 1328 BUOY #5 ABEAM TO STBD. 100 YDS. 1331 ℄S TO 8 KTS. 1332 SECURED SPECIAL SEA AND ANCHOR DETAIL SET CONDITION THREE WATCH. 1338 BUOY #1 ABEAM TO STBD 100 YDS ℄C TO 197° 1341 SET CONDITION ZEBRA IN ENGINEERING SPACES. 1342 ℄C TO 193° 1348 ℄C TO 197° 1349 ℄C TO 248° 1352 ℄C TO 252° A/E STOP 1402 A/E ~~AHEAT~~ AHEAD 9.5 KTS. 1406 ℄C 151° SEN 1410 ℄C TO 140° 1411 EXERCISED CREW AT GENERAL QUARTERS.

LTJG LE Horton USN

12-16 (CON'T) Underway as before. 1415 Material condition Zebra is set. 1423 Commenced ORI Battle Problem with ~~COM~~ FLTRAGRU Observers embarked. 1533 Secured from ORI Battle Problem. 1544 Set material condition Yoke. 1557 Secured from General Quarters.

Ltjg RS Ross, USN

16-20 Underway As Before 1602 ~~1607~~ ℄C TO 290° 1607 ℄C TO 297 SEN 1622 ℄C TO 017° ENTERED INLAND WATERS. 1625 ℄C TO 013° 1627 ℄C TO 110° ℄S TO 12.3 KTS. SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 1632 ℄C TO 332° 1633 ℄S TO 3.3 KTS. 1638 ℄C TO 330° 1640 BUOY #1 ABEAM TO PORT 100 YDS COMMENCED MANEUVERING VARIOUS COURSES TO CONFORM WITH PEARL HARBOR CHANNEL. 1702 BUOY #6 ABEAM TO STBD. COMMENCED MANEUVERING TO APPROACH AND MOOR IN BERTH ALFA THREE. 1709 MOORED STARBOARD SIDE TO IN BERTH ALFA THREE, US NAVAL STATION PEARL HARBOR WITH STANDARD MOORING LINES DOUBLED - SECURED SPECIAL SEA AND ANCHOR DETAIL.

LTJG LE Horton USN

16-20 (Continued) Moored as before. 1800 SET MATERIAL CONDITION YOKE (Modified) Ltjg ~~End~~ C.P. McKenzie, USNR

20-24 Moored as before.

Ltjg C.P. McKenzie, USNR

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Ltjg RS Ross U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE ~~Thurs~~ Friday 11 December, 19 64 M

(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	BKN	2982	74	72	6	2000	Cu			
02	040	2	10	BKN	2982	74	72	6	2000	Cu			
03	040	2	10	BKN	2982	74	72	6	1000	Cu			
04	040	2	8	R	2981	74	72	8	1000	Cu			
05	040	2	8	R	2981	74	72	8	1000	Cu			
06	040	2	8	L	2982	74	72	8	1000	Cu			
07	040	2	8	L	2982	75	72	8	500	Cu			
08	065	3	10	BKN	2983	75	72	7	500	Cu			
09	060	3	10	BKN	2983	76	72	7	1000	Cu			
10	055	3	10	BKN	2983	76	72	7	1000	Cu			
11	040	3	10	BKN	2983	75	73	7	2000	Cu			
12	040	3	10	BKN	2983	77	73	7	2000	Cu			
13	060	3	10	Sct	2983	84	73	5	2000	Cu			
14	060	5	10	Sct	2984	83	74	5	2000	Cu			
15	060	5	10	Sct	2985	81	73	5	2000	Cu			
16	060	3	10	Sct	2986	80	73	5	2000	Cu			
17	060	3	10	Sct	2984	80	72	5	2000	Cu			
18	060	3	10	Sct	2982	77	72	4	2000	Cu			
19	060	3	10	Sct	2982	77	72	4	2000	Cu			
20	060	3	10	Sct	2981	72	72	4	2000	Cu			
21	060	3	10	Sct	2983	72	72	4	2000	Cu			
22	060	3	10	Sct	2982	72	72	4	2000	Cu			
23	060	3	10	Sct	2984	70	70	4	2000	Cu			
24	060	3	10	Sct	2985	70	70	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 6

FUEL CONSUMED 0000-2400: 385

REMARKS

00-04 Moored starboard side to in berth Alfa Three (A-3) U.S. Naval Station with standard mooring lines doubled. Condition zebe Modified is set. Receiving telephone and potable water services from the pier. Ships present include various units of the U.S. Pacific Fleet, District, and yard craft. SOPA is Anchor Det.

Ltjg C.P. McKenzie, USNR

04-08 Moored as before. 0715 Mustered the crew at quarters. Absentees: None. Commenced making preparations for getting underway. 0740 Set the special sea and anchor detail. 0750 Completed all preparations for getting underway. Draft: forward 14'4", aft 16'8". ~~0800~~ ~~0805~~ Underway in accordance with debarkation

Ltjg C.P. McKenzie, USNR

APPROVED: Lt. James R. Ackerman U.S.N. COMMANDING

EXAMINED: Ltjg D.D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Friday (Day) 11 (Date) December (Month) 19 64

0800-1200 ~~Moored~~ Moored as before 0805 Underway in accordance with verbal orders from MAP safety operations officer to Whiskey-Three (W-3). Steering various courses at various speeds while clearing the left and right entering the harbor. Captain and navigator are on the bridge OOD for the Conn. 0841 Captain for the Conn 0849 Moored Berth Whiskey three. All lines secured. 0915 Commenced unloading ammo. 1030 secured from off loading ammunition. 1035 set the special sea and anchor detail.

Ltjg C.V. McKenzie USNR

0800-1200 (CONT) MOORED AS BEFORE. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD WAS THE CONN. 1042 UNDERWAY FROM BERTH WHISKEY THREE, NAD, OAHU ENROUTE TO BERTH HOTEL FOUR PEARL HARBOR IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL. MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH WEST LOCH CHANNEL. 1105 ENTERED PEARL HARBOR CHANNEL. COMMENCED MANEUVERING ON VARIOUS COURSES TO CONFORM WITH CHANNEL. 1129 COMMENCED MANEUVERING TO APPROACH AND MOOR IN BERTH HOTEL FOUR US NAVAL SUPPLY DEPOT, PEARL HARBOR HAWAII. 1134 MOORED STARBOARD SIDE TO IN BERTH HOTEL FOUR WITH STANDARD MOORING LINES DOUBLED. SECURED SPECIAL SEA AND ANCHOR DETAIL.

LTJG LE Horton USN

12-16 MOORED AS BEFORE. 1212 COMMENCED OFF LOADING FUEL DRAFT 13'3" FWD 16'6" AFT. 1547 MADE DAILY INSPECTION OF MAGAZINES CONDITIONS NORMAL.

LTJG LE Horton USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE

LTJG LE Horton USN

20-24 MOORED AS BEFORE. 2025 COMPLETED OFF LOADING FUEL DRAFT FWD 13'6" AFT 13'2"

LTJG LE Horton USN

APPROVED: Lt. James R Williams U.S.N. COMMANDING

EXAMINED: Stgr RD Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 12 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	3	10	SCT	2981	70	69	5	2000	CU			
02	060	3	10	SCT	2980	70	68	5	2000	CU			
03	060	3	10	SCT	2980	70	67	5	2000	CU			
04	060	3	8	BKN	2980	71	67	6	2000	CU			
05	060	3	8	BKN	2980	72	67	7	2000	CU			
06	060	3	8	BKN	2980	73	68	8	2000	CU			
07	060	3	10	BKN	2985	75	69	9	2000	CU			
08	060	4	10	BKN	2985	78	70	9	2000	CU			
09	080	4	10	BKN	2985	77	72	9	2000	CU			
10	050	5	10	BKN	2985	77	72	9	2000	CU			
11	040	7	10	BKN	2985	77	72	8	2000	CU			
12	040	8	8	BKN	2985	76	71	8	2000	CU			
13	040	8	10	BKN	2982	76	71	8	2000	CU			
14	040	6	10	BKN	2982	77	71	7	2000	CU			
15	040	6	10	BKN	2980	77	71	7	2000	CU			
16	040	7	10	BKN	2980	76	70	7	2000	CU			
17	040	7	10	BKN	2980	76	71	7	2000	CU			
18	040	7	10	BKN	2980	76	71	7	2000	CU			
19	040	7	10	BKN	2980	76	71	7	2000	CU			
20	040	7	10	BKN	2980	75	71	7	2000	CU			
21	040	7	10	BKN	2982	74	70	7	2000	CU			
22	040	7	10	BKN	2982	74	70	6	2000	CU			
23	040	7	10	BKN	2982	73	69	6	2000	CU			
24	040	6	10	SCT	2982	75	70	5	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 1

FUEL CONSUMED 0000–2400: 300

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH HOTEL FOUR, U.S. NAVAL SUPPLY DEPOT, PEARL HARBOR, HAWAII. WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT RECEIVING TELEPHONE SERVICE FROM THE PIER. SOPA IS CINCPACFLT.

LTJG LE Hanton USN

04-08 MOORED AS BEFORE. 0723 MUSTERED CREW ON STATIONS ABSENTEES: NONE SET SECTIONAL SEA DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 0741 UNDERWAY FROM BERTH HOTEL FOUR IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL. MANEUVERING VARIOUS COURSES AND SPEEDS TO CON FORM WITH CHANNEL. 0759 COMMENCED MANEUVERING TO APPROACH AND MOOR OUT BOARD

APPROVED: Lt James R. Williams U.S.N. COMMANDING

EXAMINED: Lgy R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 12 (Date) December (Month) 64

Ø4-Ø8 (CONT) OF USS LIPAN (ATF-85) IN BERTH BRAVO SEVEN, U.S. NAVAL SHIPYARD, PEARL HARBOR HAWAII.

LTJG L E Hatton USN

08-12 - Underway as before. 0801 moored stbd. side to and outboard of U.S.S. LIPAN (ATF-85) at berth Bravo Seven 8-7 U.S. Naval shipyard, Pearl Harbor, Hawaii, with std. mooring lines doubled. 0805 secured the special sea and anchor dftail set the regular inport watch. 0852 commenced taking on shore services.

CWO JL Hollis, USN

12-16 moored as before.

CWO JL Hollis, USN

16-20 moored as before. 1800 set material condition yoke (modified). 1815 LANHAM, M. L., 2904293 FN USN received First, Second & third degree Burns on left chest & neck while performing mess cooking duties in the Scullery. Not own misconduct. Treatment: Topal dressing by Corpsman, then to PHNSY Dispensary for Consultation. PHNSY DMO applied Tetracaine & Compress bandage. Returned to ship with NO duty for two (2) days.

CWO JL Hollis, USN

20-24 moored as before.

CWO JL Hollis, USN

APPROVED: LT James R. Christiansen U.S.N. COMMANDING

EXAMINED: Stjg D D Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Sunday (Day) 13 (Date) December (Month) 1964

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	6	10	SCT	2981	70	69	3	2000	CU			
02	040	5	10	SCT	2980	70	68	3	2000	CU			
03	040	5	10	SCT	2980	70	67	3	2000	CU			
04	040	5	10	SCT	2980	71	67	3	2000	CU			
05	040	4	10	RS	2980	72	67	3	1800	CU			
06	040	6	10	BKN	2980	73	68	3	1800	CU			
07	040	4	10	BKN	2985	75	69	9	2000	CU			
08	050	5	10	BKN	2985	78	70	9	2000	CU			
09	050	6	10	BKN	2985	77	72	9	2000	CU			
10	060	8	10	BKN	2985	77	72	9	2000	CU			
11	065	8	10	BKN	2985	77	72	8	2000	CU			
12	065	8	10	BKN	2983	76	71	8	2000	CU			
13	065	8	10	BKN	2982	76	71	8	2000	CU			
14	065	8	10	BKN	2980	77	71	7	2000	CU			
15	065	8	10	BKN	2980	77	71	7	2000	CU			
16	065	8	10	BKN	2980	76	70	7	2000	CU			
17	065	7	10	BKN	2980	76	71	7	2000	CU			
18	070	5	10	SCT	2980	76	71	7	2000	CU			
19	070	5	10	SCT	2980	76	71	7	2000	CU			
20	065	7	10	BKN	2980	76	71	7	2000	CU			
21	065	7	10	BKN	2982	75	71	7	2000	CU			
22	065	7	10	BKN	2982	74	70	6	2000	CU			
23	060	4	10	BKN	2982	73	69	6	2000	CU			
24	065	7	10	BKN	2982	75	70	5	2000	CU			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 moored stbd side to and outboard of USS LIPPON (ATF-85) at berth Bravo Seven (B-7) U.S. Naval Shipyard Pearl Harbor Hawaii with std. mooring lines doubled. Material condition yoke (modified) set. Receiving Electrical power, potable water steam & telephone services from the pier. Ships present include various Units of the U.S. Pacific Flt. Air Force, District and Small Craft. S.O.P.B. is in effect.

CWO J. C. Hollis, USN

04-08 moored as before. 0745 mustered the crew on stations. Absentees: None.

CWO J. C. Hollis, USN

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Stg D. DeMasi U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Sunday (Day) 13 (Date) Dec. (Month), 19 64

08-12 Moored as before

LTjg RS Mason USN

12-16. Moored as before

LTjg RS Mason, USN

16-20 Moored as before. 1800 Set Material condition Yoke (Modified).

LTjg RS Mason, USN

20-24 Moored as before.

LTjg RS Mason, USN

APPROVED:

LT. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stjg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Monday (Day) 14 (Date) DEC (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	065	7	10	BKN	2983	75	71	6	2000	CU			
02	065	7	10	BKN	2982	76	71	6	2000	CU			
03	065	7	10	BKN	2982	76	71	6	2000	CU			
04	065	8	10	BKN	2980	76	70	6	2000	CU			
05	060	6	10	BKN	2980	76	70	6	2000	CU			
06	060	6	10	BKN	2982	77	72	6	2000	CU			
07	060	6	10	BKN	2983	75	73	6	2000	CU			
08	060	5	10	BKN	2985	74	70	6	2000	CU			
09	060	5	10	BKN	2985	77	70	6	2000	CU			
10	060	5	10	BKN	2985	77	70	6	2000	CU			
11	060	5	10	BKN	2984	78	70	6	2000	CU			
12	060	6	10	BKN	2983	80	71	6	2000	CU			
13	060	6	10	BKN	2980	83	74	6	2000	CU			
14	060	5	10	BKN	2979	83	74	6	2000	CU			
15	060	3	10	BKN	2979	83	77	6	1800	CU			
16	090	3	10	BKN	2978	81	74	9	1800	CU			
17	090	3	10	BKN	2976	79	73	9	1800	CU			
18	090	3	10	BKN	2979	78	73	9	1800	CU			
19	090	3	10	BKN	2978	77	72	9	1800	CU			
20	090	3	10	BKN	2979	77	72	9	1800	CU			
21	090	3	10	BKN	2978	77	72	9	1800	CU			
22	090	3	10	BKN	2978	77	72	9	1800	CU			
23	090	3	10	BKN	2978	77	72	9	1800	CU			
24	090	3	10	BKN	2978	77	72	9	1800	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0.3

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to outboard USS Lipan (ATF-98) Berth Bravo Seven, U.S. NAVAL Shipyard, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke modified is set. Receiving electrical power, potable water, steam ad telephone services from the pier. Ships present include Various units of the U.S. Pacific Fleet, yard ad district craft. SOPA is CINCPACFLT.

LTjg D S Mason, USN

04-08 Moored as before. 0710 Mustered the crew at quarters; absentees: none

LTjg D S Mason, USN

APPROVED:

Lt. James R. Pickthorn U.S.N. COMMANDING

EXAMINED:

Ltjg D S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Monday (Day) 14 (Date) December (Month) 19 64

08-12 Moored as before 0930 ~~set the~~ special sea and anchor detail 0931 Pilot R. C. Wilson came aboard 0933 YTM 757 made up ~~to the~~ port quarter 0933 Pilot ~~left the~~ conn 0934 YTL-571 made up to port bow 0935 Underway in accordance with verbal orders from Shipyard ~~operations~~ officer proceeding to Marine Railway ~~No.~~ 1 YTL-571 ~~shifted to the~~ starboard bow 0945 Ships bow passed over ~~the~~ sill of ~~the~~ dry dock ~~No~~ 0946 YTL-571 Cast off YTM-757 Cast off. Pilot departed ship 0950 Moored in Marine Railway No. #1. 1028 Ship in the blocks Commenced ~~pumping out~~ bringing ship out of the water 1100 Ship secured in Dry Dock #1 1130 Commenced receiving telephone, electrical, and fresh water power from ~~the~~ dry dock.

Ltjg C. P. McKenzie, USNR

12-16 ~~Moored as before~~ Resting on Keel Blocks as before.

Ltjg C. P. McKenzie, USNR

16-20 ~~Moored as before~~ resting on keel blocks as before. 1800 Set Condition ~~zebra~~ modified

Ltjg C. P. McKenzie, USNR

20-24 ~~Moored as before~~ Resting on keel blocks as before.

Ltjg C. P. McKenzie USNR

APPROVED: Lt. James R. Wilkinson U.S.N. COMMANDING

EXAMINED: Ltjg D. D. Nason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abraki (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 15 (Date) December (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	3	10	Sct	2978	44	70	6	2000	Cu			
02	090	4	10	Sct	2977	74	71	6	2000	Cu			
03	090	5	10	Sct	2977	70	71	6	2000	Cu			
04	090	5	10	Sct	2978	74	71	4	1800	Cu			
05	090	5	10	Sct	2978	74	71	4	1800	Cu			
06	050	6	10	Sct	2978	74	71	4	1800	Cu			
07	040	6	10	Sct	2979	44	71	4	1800	Cu			
08	030	3	10	Sct	2979	75	72	6	1800	Cu			
09	030	3	10	Sct	2978	78	72	6	1800	Cu			
10	030	3	10	Sct	2979	80	72	6	1800	Cu			
11	030	3	10	Sct	2979	86	74	6	1800	Cu			
12	030	3	10	Sct	2979	86	74	6	1800	Cu			
13	030	3	10	Sct	2979	88	77	8	1800	Cu			
14	030	2	10	Sct	2977	82	74	10	1800	Cu			
15	030	2	10	R	2976	77	73	10	1800	Cu			
16	030	2	10	R	2974	77	73	10	1800	Cu			
17	030	2	10	R	2974	74	70	10	1800	Cu			
18	030	2	10	R	2974	74	71	10	1800	Cu			
19	030	2	10	R	2976	74	71	10	1800	Cu			
20	030	1	10	Sct	2976	74	72	9	1800	Cu			
21	030	1	10	Sct	2976	74	72	9	1800	Cu			
22	030	2	10		2977	75	72	9	1800	Cu			
23	030	2	10	OVC	2975	76	72	9	1800	Cu			
24	030	1	10	Sct	2973	73	72	9	1800	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 Resting on keel blocks position #1 is Myrtle ~~Railroad~~ Railway number one (1) U.S. Naval Shipyard, Pearl Harbor, Hawaii. Material condition yoke modified set receiving electrical potable water, salt water and telephone services from shore connections. Ships present include various units of the U.S. Pacific Fleet Pilot and yard craft. All is satisfactory.

Ltjg C.P. McKenzie, USNR

04-08 Resting on keel blocks as before. ~~0745~~ 0750 mustered the crew at quarters absentee: none.

Ltjg C.P. McKenzie, USNR

APPROVED:

Lt. James R. Richardson U.S.N. COMMANDING

EXAMINED:

Ltjg R.D. Moore U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 15 (Date) DECEMBER (Month), 19 61

0800-1200 ~~MOOR~~ RESTING ON THE KEEL BLOCKS AS BEFORE JEN

LTJG LE Horton USN

1200-1600 RESTING ON THE KEEL BLOCK AS BEFORE.

LTJG LE Horton USN

1600-2000 RESTING ON THE KEEL BLOCKS AS BEFORE. 1800 SET MATERIAL CONDITION Yoke (Modified)

LTJG LE Horton USN

2000-2400 RESTING ON THE KEEL BLOCKS AS BEFORE

LTJG LE Horton USN

APPROVED: EXAMINED:

Lt. James R. Williams U.S.N. COMMANDING Lt(jg) D D Mason, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION Y10 DATE WEDNESDAY (Day) 16 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	5	10	OVC	2993	73	72	9	1000	Cu			
02	030	7	10	OVC	2992	73	72	9	1000	Cu			
03	030	7	10	OVC	2993	73	72	9	1000	Cu			
04	030	3	10	OVC	2990	73	70	8	1000	Cu			
05	030	3	8	BKN	2990	73	70	8	1000	Cu			
06	030	3	8	BKN	2990	74	70	8	1000	Cu			
07	030	3	10	BKN	2990	74	70	9	1000	Cu			
08	040	2	10	R	2991	74	71	10	1000	Cu			
09	045	2	7	R	2992	74	71	10	1000	Cu			
10	050	2	7	R	2991	77	74	10	1000	Cu			
11	080	4	7	R	2969	76	73	10	1000	Cu			
12	070	4	7	R	2968	77	75	10	1000	Cu			
13	100	4	7	R	2968	76	75	10	1000	Cu			
14	100	4	7	R	2990	77	75	10	1000	Cu			
15	100	4	7	R	2991	77	65	10	1000	Cu			
16	100	6	7	R	2992	77	65	10	1000	Cu			
17	100	6	10	R	2991	73	65	10	1000	Cu			
18	100	6	10	R	2992	65	65	10	1000	Cu			
19	100	6	10	R	2990	66	65	10	1000	Cu			
20	100	6	10	R	2969	66	65	10	1000	Cu			
21	100	6	10	R	2968	66	65	10	1000	Cu			
22	100	6	10	BKN	2967	66	65	10	1000	Cu			
23	100	6	10	BKN	2967	66	65	8	1000	Cu			
24	100	6	10	BKN	2967	66	65	8	1000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ΦΦ-Φ4 RESTING ON THE KEEL BLOCKS IN MARINE RAILWAY NUMBER ONE U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII. RECIEVING FRESH WATER, STEAM, ELECTRICIAL POWER, SALT WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MODIFIED MATERIAL CONDITION YOKE IS SET. SOPA IS CINC PAC FLT.

LTJG LE Horton USN

Φ4-Φ8 RESTING ON THE KEEL BLOCKS AS BEFORE. Φ7ΦΦ MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

LTJG LE Horton USN

APPROVED:

Lt. James R. [illegible] U.S.N. COMMANDING

EXAMINED:

Stgy R D Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Wednesday (Day) 16 (Date) Dec (Month) 19 64

08-12 Resting on the keel blocks as before. 0815 Commenced records Inspection of Predeployment Inspection. 1115 Secured for Inspection

LTjg RS Mason, USN

12-16 Resting on the keel blocks as before.

LTjg RS Mason, USN

16-20 Resting on the keel blocks as before. 1800 Set Material condition Yoke modified

LTjg RS Mason, USN

20-24 Resting on the keel blocks as before

LTjg RS Mason, USN

APPROVED:

LT James R. Sabelhaus U.S.N. COMMANDING

EXAMINED:

LTjg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abrahi (ATF-96 ZONE DESCRIPTION +10W DATE ~~Wednesday 16 Dec~~ Thursday 17 Dec (Day) (Date) (Month) 19 69

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	Sct	2986	77	74	2	2000	Cu			
02	040	3	10	Sct	2987	77	74	2	2000	Cu			
03	040	3	10	Sct	2988	77	74	2	2000	Cu			
04	040	3	10	Sct	2988	77	74	2	2000	Cu			
05	040	3	10	Sct	2989	77	74	2	2000	Cu			
06	040	3	10	Sct	2989	77	74	2	2000	Cu			
07	040	3	10	Sct	2990	80	74	2	2000	Cu			
08	040	3	10	Sct	2991	80	74	2	2000	Cu			
09	040	2	10	Sct	2991	80	74	2	2000	Cu			
10	040	2	10	Sct	2992	82	74	2	2000	Cu			
11	040	2	10	Sct	2993	83	74	2	2000	Cu			
12	050	2	10	Sct	2993	84	74	2	2000	Cu			
13	050	2	10	Sct	2993	85	74	2	2000	Cu			
14	040	2	10	Sct	2993	86	74	2	2000	Cu			
15	040	2	10	Sct	2994	85	74	2	2000	Cu			
16	040	2	10	Sct	2995	84	74	2	2000	Cu			
17	040	2	10	Sct	2996	83	74	2	2000	Cu			
18	040	2	10	Sct	2996	82	74	2	2000	Cu			
19	040	2	10	Sct	2996	81	74	2	2000	Cu			
20	040	2	10	Sct	2996	80	74	2	2000	Cu			
21	040	2	10	Sct	2997	79	74	2	2000	Cu			
22	040	2	10	Sct	2997	78	74	2	2000	Cu			
23	040	2	10	Sct	2998	77	74	2	2000	Cu			
24	040	2	10	Sct	2998	77	74	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L Anchorage		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Resting on the keel blocks, position #1, Marine Railway #1, U.S. Naval Shipyard, Pearl Harbor, Hawaii. Receiving all quarters, fresh water, electrical steam and telephone services from shore connections. Material condition Yoke Modified / Modified Ex is set. Ships present include various units of C. U.S. Pacific Fleet, Yard and district craft. SOPA is CINCPACFLT.

LTjg RS Mason, USN

04-08 Resting on the keel blocks as before. 0700 Mustered the crew at quarters, absentees: None.

LTjg RS Mason, USN

APPROVED:

LT James R. Williamson U.S.N. COMMANDING

EXAMINED:

Ltjg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP NANAKI (ATF-96) THURSDAY (Day) 17 (Date) December (Month) 64

08-12 Resting on Keel blocks as before. 0816 Commander Service Squadron Nine arrived onboard to conduct pre-deployment inspection. Commenced personel inspection. 0835 Completed personel inspection - Commenced inspection of ships spaces. 1000 Completed material inspection, Commence Critique. 1030 Commander Service Squadron departed the ship. Resumed regular shipyard + ships force routine.

CWO JL Hollis. USN

12-16 Resting on Keel blocks as before.

CWO JL Hollis. USN

16-20 1800 ~~Resting on Keel Blocks as before Set and Condition~~ material condition yoke, (modified). JLH

CWO JL Hollis. USN

20-24 ~~0800~~ Resting on Keel blocks as before JLH

CWO JL Hollis. USN

APPROVED: EXAMINED:

Lt. James R. Wilkinson U.S.N. COMMANDING Stfg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10-W DATE Friday 18 December (Day) (Date) (Month), 19 64

AT/PASSAGE FROM: Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	4	10	Sct	2970	78	72	4	2000	Cu			
02	090	4	10	Sct	2970	78	72	4	2000	Cu			
03	090	4	10	Sct	2970	78	72	4	2000	Cu			
04	090	4	10	Sct	2968	76	72	4	2000	Cu			
05	090	4	10	Sct	2967	77	72	4	2000	Cu			
06	090	4	10	Sct	2967	77	72	4	2000	Cu			
07	100	4	10	Sct	2967	77	72	4	2000	Cu			
08	170	4	10	BKN	2968	79	73	7	2000	Cu			
09	170	6	10	BKN	2964	83	74	6	2000	Cu			
10	170	6	10	BKN	2965	83	74	7	2000	Cu			
11	170	6	10	BKN	2968	85	74	7	2000	Cu			
12	170	6	10	BKN	2967	87	75	7	2000	Cu			
13	170	6	10	BKN	2968	86	75	7	2000	Cu			
14	170	6	10	BKN	2967	86	75	7	2000	Cu			
15	170	6	10	BKN	2966	84	75	7	2000	Cu			
16	170	6	10	BKN	2965	82	75	8	2000	Cu			
17	170	6	10	BKN	2964	80	74	8	2000	Cu			
18	170	6	10	BKN	2963	80	74	8	1800	Cu			
19	170	6	10	BKN	2964	79	74	8	1800	Cu			
20	170	6	10	BKN	2964	79	74	8	2000	Cu			
21	170	6	10	BKN	2965	79	74	8	2000	Cu			
22	170	6	10	BKN	2966	79	74	8	2000	Cu			
23	170	6	10	BKN	2966	79	74	8	2000	Cu			
24	170	6	10	BKN	2966	78	74	8	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Resting on Keel blocks, position #1 in Marine Railway Number one (1), U.S. Naval Shipyard, Pearl Harbor, Hawaii. Material condition yoke (modified) at. Receiving electrical power, potable and salt water pressure, & telephone services from shore connections. Compartment C-401 ET open through underwater hull for inside work. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is Com 7th Flt.

CWO Jal Hollis, USN

04-08 Resting on Keel Blocks as before. 0745 mustered the Crew at Quarters. Absentees: none.

CWO Jal Hollis, USN

APPROVED:

LT. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stgs RS Nash U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Friday (Day) 18 (Date) December (Month) 19 64

Ø8-12 Resting on keel blocks as before.

Ltjg C. P. McKenzie, USNR

12-16 Resting on keel blocks as before.

Ltjg C. P. McKenzie, USNR

16-2Ø Resting on keel blocks as before. ,800 Set Condition Zebra maintained.

Ltjg C. P. McKenzie, USNR

2Ø-24 Resting on keel blocks as before.

Ltjg C. P. McKenzie, USNR

APPROVED: Lt. James R. [illegible] U.S.N. COMMANDING

EXAMINED: Ltjg R. [illegible] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abrahi (AFF-9c ZONE DESCRIPTION +10W DATE Saturday (Day) 19 (Date) December (Month) 19 6X

AT/PASSAGE FROM Pearl Habr. Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	4	~~10~~ BRN	BKN	28.63	78	73	8	1800	cu			
02	070	4	10	BKN	2960	78	73	8	1800	cu			
03	070	4	10	BKN	2957	78	73	8	1800	cu			
04	070	5	10	BKN	2955	78	73	8	1800	cu			
05	075	1	10	R	2955	78	73	10	1800	cu			
06	070	1	10	R	2956	78	73	10	1800	cu			
07	070	1	10	R	2955	78	73	10	1800	cu			
08	070	4	10	R	2958	76	73	10	1800	cu			
09	070	5	10	R	29.60	74	72	10	1800	cu			
10	060	5	10	R	29.62	72	70	11	1500	cu			
11	050	5	10	R	29.62	72	70	11	1500	cu			
12	050	3	10	BKN	29.60	74	73	11	1500	cu			
13	050	3	10	BKN	29.60	74	73	11	1500	cu			
14	050	3	10	BKN	2961	74	72	11	1500	cu			
15	050	3	10	BKN	29.60	76	72	6	2000	cu			
16	050	3	10	SCT	2959	78	73	6	2000	cu			
17	050	3	10	Sct	2958	79	74	3	2000	cu			
18	050	2	10	Sct	2960	76	73	3	2000	cu			
19	050	2	10	Sct	2963	76	73	3	2000	cu			
20	050	2	10	Sct	2963	78	73	3	2000	cu			
21	050	2	10	Sct	2989	76	73	3	2000	cu			
22	050	2	10	R	2985	75	72	5	1800	cu			
23	050	2	10	R	2966	74	71	5	1800	cu			
24	050	2	10	Sct	2963	76	73	5	1800	cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 ~~Moo~~ Resting on keel blocks in position #1 in Marine Railway #7 U.S. Naval shipyard, Pearl Harbor, Hawaii. Material condition yoke modified is set. Receiving electrical, potable water, salt water, and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, Destroyer and yard craft. Lopac Condition Set

Ltjg C.P. McGinnis, USNR

04-08 Resting on keel blocks as before. 0745 ~~Moored~~ Crew on stations. Absentees: None.

Ltjg C.P. McGinnis, USNR

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 19 (Date) DECEMBER (Month) 64

0800-1200 RESTING ON THE KEEL BLOCKS AS BEFORE.

LTJG L E Horton USN

1200-1600 MOORED ~~AS BEFORE~~ RESTING ON THE KEEL BLOCKS AS BEFORE. LEH

LTJG L E Horton USN

1600-2000 RESTING ON THE KEEL BLOCKS, AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOICE.

LTJG L E Horton USN

2000-2400 RESTING ON THE KEEL BLOCKS AS BEFORE.

LTJG L E Horton USN

APPROVED:

LT. James R. Schulmeister U.S.N. COMMANDING

EXAMINED:

Stgy D S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abrahi (ATF-96) ZONE DESCRIPTION +10 DATE Sunday (Day) 20 (Date) December (Month), 1964

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	3	10	SCT	29.63	76	73	5	1800	cu			
02	200	3	10	BKN	29.66	76	73	6	1800	cu			
03	200	3	10	BKN	29.68	76	73	6	1800	cu			
04	200	3	10	BKN	29.64	74	73	6	1800	cu			
05	200	3	10	BKN	29.63	74	73	6	1800	cu			
06	200	3	10	BKN	29.64	74	73	8	1600	cu			
07	200	3	10	SCT	29.65	75	73	4	1800	cu			
08	200	3	10	SCT	29.64	76	74	4	1800	cu			
09	200	3	10	SCT	29.64	78	75	4	1800	cu			
10	200	3	10	BKN	2966	82	76	8	1800	cu			
11	200	3	10	BKN	2966	86	76	7	1800	cu			
12	200	3	10	R	2966	86	76	7	1800	cu			
13	200	3	10	R	29.66	86	76	7	1800	cu			
14	200	3	10	R	29.66	86	76	7	1800	cu			
15	200	3	10	R	29.66	86	76	7	1800	cu			
16	200	3	10	R	29.60	80	76	7	1800	cu			
17	200	3	10	BKN	2961	80	76	7	1800	cu			
18	200	3	10	BKN	2962	80	76	7	1800	cu			
19	200	3	10	BKN	2967	80	76	7	1800	cu			
20	200	3	10	BKN	2963	78	75	7	1800	cu			
21	200	3	10	BKN	2965	77	74	7	1800	cu			
22	200	3	10	BKN	2968	78	74	7	1800	cu			
23	200	3	10	BKN	2967	78	74	7	1800	cu			
24	200	3	10	BKN	2968	78	74	7	1800	cu			

POSITION	ZONE	TIME
0800		
L/W	PORT	BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

04-04 RESTING ON THE KEEL BLOCKS IN MARINE RAILWAY NUMBER ONE U.S. NAVAL SHIP YARD. PEARL HARBOR. HAWAII RECIEVING FRESH WATER, FIRE AND FLUSHING WATER, ELECTRICAL POWER, STEAM, AND TELEPHONE, SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET. YARD AND DISTRICT CRAFT. SOPA IS COMC PACFLT.

LTJG LE Horton USN

04-08 Resting on Keel Blocks as Before. 0500 The commanding Officer Lt. James R. Williams, 625124/1100 USN and LTJG LESLIE E. HORTON, 182361/6002 USN Departed the Ship on TAD Orders COMSERVPAC Tango Numbers 627742-TO-5-00529 and 627742-TO-5-00530 respectitively Dated 16 Dec.-64 for a period of approximately TWO (2) Days. 0745 mustered the Crew on stations. Absentees: None.

CWO JC Hollis. USN

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stgy DS Rose U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96) SUNDAY (Day) 20 (Date) December (Month), 64

08-12 Resting on Keel Blocks as before.

CWO Jd Hollis, USN

12-16 Resting on Keel Blocks as before.

CWO Jd Hollis, USN

16-20 Resting on Keel Blocks as before. 1800 set material condition yoke (modified) Hull openings in C-401 ET (shaft alley) and A-408A to facilitate shipyard repair work.

CWO Jd Hollis, USN

20-24 Resting on Keel blocks as before.

CWO Jd Hollis, USN

APPROVED: EXAMINED:

LT. James R. Robertson U.S.N. COMMANDING Stgs DS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION + 10-W DATE MONDAY (Day) 21 (Date) DECEMBER (Month) 19 6X

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	4	10	BKN	2965	75	74	8	Low	Cu			
02	180	4	10	BKN	2966	76	74	8	Low	Cu			
03	180	4	10	BKN	2967	74	74	8	Low	Cu			
04	180	4	10	BKN	2967	77	75	8	Low	Cu			
05	180	5	10	BKN	2965	78	75	8	Low	Cu			
06	180	5	10	BKN	2966	80	76	8	Low	Cu			
07	180	5	10	BKN	2966	80	76	8	Low	Cu			
08	180	6	10	BKN	2967	82	77	9	1800	CU			
09	170	6	10	BKN	2968	84	77	9	1800	CU			
10	170	6	10	BKN	2967	87	77	9	1800	CU			
11	170	7	10	BKN	2967	90	80	8	1800	CU			
12	170	6	10	BKN	2967	91	81	8	1800	CU			
13	170	6	10	BKN	2865	90	79	9	1800	CU			
14	170	6	10	BKN	2964	88	77	8	1800	CU			
15	170	6	10	BKN	2962	87	78	8	1800	CU			
16	170	6	10	BKN	2961	85	77	8	1800	CU			
17	170	6	10	BKN	2961	85	77	8	1800	CU			
18	170	6	10	BKN	2963	84	77	8	1800	CU			
19	170	6	10	BKN	2963	83	76	8	1800	CU			
20	170	6	10	BKN	2965	82	76	9	1800	CU			
21	170	6	10	BKN	2967	82	76	9	1800	CU			
22	170	6	10	BKN	2966	81	76	9	1800	CU			
23	170	6	10	BKN	2966	81	76	9	1800	CU			
24	170	6	10	BKN	2966	81	75	9	1800	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Resting on Keel Blocks, position #1, Marine Railway Numbers one (#1) U.S. Naval Shipyard, Pearl Harbor, Hawaii - with material condition Yoke, set. Receiving Electrical power, potable and salt water pressure, Steam and telephone services from shore connections. Ships present include various Units of the U.S. Pacific Fleet, district and small craft. SOPA is Cin Cpac Flt.

CWO JL Hollis, USN

04-08 Resting on Keel Blocks as before. 0640 Lt(jg) LESLIE E. NORTON, 182361/6002 returned aboard from TAD.* 0708 Mustered the Crew at Quarters. ~~absentee: Bowers, James R, 402-95-30 USN~~ BIFFLE, Paul J., 599-28-5464 EM FN, USN, absent from quarters, found sleeping on board. Lt. James R. Williams, Commanding Officer Returned on board having completed TAD.*

CWO JL Hollis, USN

APPROVED: LT. James R. Williams U.S.N. COMMANDING

EXAMINED: Stg1 PS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Monday 21 Dec. 1964 (Day) (Date) (Month)

08-12 Resting on the keel blocks as before
Lt(jg) RS Mason, USN

12-16 Resting on the keel blocks as before
Lt(jg) RS Mason, USN

16-20 Resting on the keel blocks as before. 1800 Set Material condition Yoke modified
Lt(jg) RS Mason, USN

20-24 Resting on the keel blocks as before.
Lt(jg) RS Mason, USN

APPROVED: EXAMINED:

Lt. James R. Robertson U.S.N. COMMANDING Lt(jg) RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ~~Abnaki~~ (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday 22 Dec (Day) (Date) (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	Sct	2966	77	72	2	1000	Cu			
02	040	2	10	Sct	2965	74	72	2	1000	Cu			
03	000	6	10	Sct	2966	77	72	2	1000	Cu			
04	000	6	10	Sct	2966	77	72	2	1000	Cu			
05	000	6	10	Sct	2967	74	72	2	1000	Cu			
06	040	3	10	Sct	2967	75	72	2	1000	Cu			
07	040	3	10	Sct	2966	76	72	2	1000	Cu			
08	040	3	10	Sct	2966	77	72	2	1000	Cu			
09	040	3	10	Sct	2965	79	72	2	1000	Cu			
10	040	2	10	Sct	2965	78	72	2	1000	Cu			
11	100	2	10	Sct	2965	79	72	2	1000	Cu			
12	100	2	10	Sct	2965	80	72	2	1000	Cu			
13	100	2	10	Sct	2966	80	72	2	1000	Cu			
14	100	2	10	Sct	2966	80	72	2	1000	Cu			
15	100	2	10	Sct	2966	81	72	2	1000	Cu			
16	100	2	10	Sct	2967	81	72	2	1000	Cu			
17	100	2	10	Sct	2968	80	72	2	1000	Cu			
18	100	2	10	Sct	2967	80	72	2	1000	Cu			
19	100	2	10	Sct	2967	77	72	2	1000	Cu			
20	100	2	10	Sct	2968	76	72	2	1000	Cu			
21	100	2	10	Sct	2969	74	72	2	1000	Cu			
22	100	2	10	Sct	2968	77	72	2	1000	Cu			
23	100	2	10	Sct	2969	77	72	2	1000	Cu			
24	100	2	10	Sct	2969	77	72	2	1000	Cu			

POSITION	ZONE	TIME
0800		
L in port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04. Resting on the keel blocks, position #1, Marine Railway #1, U.S. Naval Shipyard, Pearl Harbor Hawaii. Material condition "Yoke" modified is set. Receiving electrical, steam, water and telephone services from shore connections. Ships present include various units of the U.S. Pacific Fleet, and all district craft. SOPA is CINCPACFLT.

LTjg RS Mason USN

04-08 Resting on the keel blocks as before. 0700 Mustered the crew at quarters; absentees: none.

LTjg RS Mason, USN

APPROVED:

Lt. James R. Wilkinson U.S.N. COMMANDING

EXAMINED:

Sltjg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Alnaki (AFT-96) Tuesday 22 December, 19 64
(Day) (Date) (Month)

0800-1200 Resting on keel blocks as before.

Ltjg C.P. McKenzie, USNR

1200-1600 Resting on keel blocks as before.

Ltjg C.P. McKenzie, USNR

1600-2000 Resting on keel blocks as before 1800 set condition yoke modified.

Ltjg C.P. McKenzie, USNR

2000-2400 Resting on keel blocks as before.

Ltjg C.P. McKenzie, USNR

APPROVED: EXAMINED:

Lt. James R. Williams U.S.N. COMMANDING Ltjg R.S. Nason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Oberrender (DE-96) ZONE DESCRIPTION +10W DATE Wednesday 23 December, 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	3	8	R	2970	77	75	10	1500	CU			
02	130	3	8	BKN	2969	78	75	10	1600	CU			
03	130	3	8	BKN	2969	78	75	10	1800	CU			
04	130	3	8	BKN	2969	78	75	10	1800	CU			
05	130	3	8	BKN	2969	78	75	10	1800	CU			
06	120	3	8	BKN	2969	78	75	10	1800	CU			
07	125	5	10	BKN	969	79	76	10	1500	CU			
08	125	5	10	BKN	2972	79	76	10	1500	CU			
09	125	5	10	BKN	2973	79	76	10	1500	CU			
10	125	5	10	BKN	2974	80	76	10	1500	CU			
11	125	5	8	R	2974	80	76	10	1500	CU			
12	125	5	8	R	2975	80	76	10	1500	CU			
13	125	5	8	R	2975	80	76	10	1500	CU			
14	125	5	8	R	2975	80	76	10	1500	CU			
15	125	5	10	R	2975	80	76	10	1500	CU			
16	125	5	10	BKN	2976	80	76	10	1500	CU			
17	125	5	10	BKN	2976	80	76	10	1500	CU			
18	125	5	10	BKN	2976	80	76	10	1500	CU			
19	125	5	10	BKN	2976	80	76	10	1500	CU			
20	125	5	10	BKN	2976	72	73	10	1500	CU			
21	135	5	10	BKN	2980	73	73	10	1500	CU			
22	135	5	10	BKN	2981	76	75	10	1500	CU			
23	135	5	10	BKN	2982	77	75	10	1500	CU			
24	125	4	10	BKN	2983	77	74	10	1500	CU			

POSITION	ZONE	TIME
0800		
L 1N 70kt		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Resting on keel blocks position #1 in Marine Railway number 1 U.S. Naval Shipyard, Pearl Harbor, Hawaii. With protective condition yoke modified fuel. Receiving electric, potable and salt water, steam, and telephone services from the pier. Shipyard includes various units of the U.S. Pacific Fleet, District and yard craft. 1 APL Van Pac Flt.

Ltjg C.P. McKenzie, USNR

04-08 Resting on keel blocks as before. 0715 Mustered the crew at quarters. Absentees: None.

Ltjg C.P. McKenzie USNR

APPROVED:

Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED:

Ltjg R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 23 (Date) DECEMBER (Month) 64

0800-1200 RESTING ON THE KEEL BLOCKS AS BEFORE.

LTJG L E Horton USN

1200-1600 RESTING ON KEEL BLOCKS AS BEFORE.

LTJG L E Horton USN

1600-2000 RESTING ON KEEL BLOCKS AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LTJG L E Horton USN

2000-2400 RESTING ON THE KEEL BLOCKS AS BEFORE.

LTJG L E Horton USN

APPROVED: EXAMINED:

LT. James R. Robillard U.S.N. COMMANDING Ltjg R A Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 24 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	125	5	OVC	8	2984	78	74	10	1800	CU			
02	125	4	OVC	8	2985	77	74	10	1800	CU			
03	125	4	OVC	8	2985	77	73	10	1800	CU			
04	070	3	OVC	8	2984	76	73	10	1800	CU			
05	090	3	OVC	8	2984	76	73	10	1800	CU			
06	090	3	OVC	8	2984	76	73	10	1800	CU			
07	090	2	OVC	8	2983	76	74	10	1800	CU			
08	090	2	OVC	8	2984	80	75	10	1800	CU			
09	090	2	OVC	8	2987	80	75	10	1800	CU			
10	090	2	OVC	8	2989	80	75	10	1800	CU			
11	090	2	OVC	8	2987	80	75	10	1800	CU			
12	100	4	BKN	10	2985	83	76	7	2000	CU			
13	120	4	BKN	10	2982	84	77	6	2000	CU			
14	040	3	SCT	10	2980	84	75	4	2000	CU			
15	030	4	SCT	10	2979	82	72	3	2000	CU			
16	030	4	SCT	10	2979	82	72	3	2000	CU			
17	030	4	SCT	10	2982	79	73	2	2000	CU			
18	030	3	SCT	10	2984	78	72	3	2000	CU			
19	040	3	SCT	10	2984	79	73	2	2000	CU			
20	040	3	SCT	10	2986	76	73	2	2000	CU			
21	040	3	SCT	10	2988	76	73	2	2000	CU			
22	040	3	SCT	10	2988	76	73	2	2000	CU			
23	040	3	SCT	10	2988	76	73	3	2000	CU			
24	040	3	SCT	10	2988	76	73	3	2000	CU			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 RESTING ON THE KEEL BLOCKS IN MARINE RAILWAY NUMBER ONE, PEARL HARBOR, HAWAII. RECIEVING FRESH WATER, FIRE AND FLUSHING WATER, ELECTRICAL POWER, STEAM AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

LTJG L E Horton USN

04-08 RESTING ON THE KEEL BLOCKS AS BEFORE.
0700 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

LTJG L E Horton USN

APPROVED:

LT. James R. Williamson U.S.N. COMMANDING

EXAMINED:

Stgy R O Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 24 (Date) DECEMBER (Month) 64

08-12 Resting on Keel Blocks as before.

CWO J.L. Hallis, USN

12-16 Resting on Keel Blocks as before.

CWO J.L. Hallis, USN

16-20 Resting on Keel Blocks as before. 1800 checked and confirmed SET material Yoke (modified). CONDITION

CWO J.L. Hallis, USN

20-24 Resting on Keel Blocks as before.

CWO J.L. Hallis USN

APPROVED: Lt. James R. Tabellion U.S.N. COMMANDING

EXAMINED: Stgr R.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE FRIDAY (Day) 25 (Date) DECEMBER (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	2	10	BKN	2987	76	72	8	1800	CU			
02	100	1	10	BKN	2987	76	72	6	1800	CU			
03	100	1	10	SCT	2987	76	72	4	2000	CU			
04	100	1	10	SCT	2986	73	70	4	2000	CU			
05	100	2	10	SCT	2986	73	70	4	2000	CU			
06	100	5	10	SCT	2987	73	70	4	2000	CU			
07	100	5	10	SCT	2987	73	70	4	2000	CU			
08	100	5	10	SCT	2991	74	72	4	2000	CU			
09	100	5	10	SCT	2991	77	72	4	2000	CU			
10	100	5	10	SCT	2990	80	73	4	2000	CU			
11	100	5	10	SCT	2990	83	75	4	2000	CU			
12	100	6	10	SCT	2987	84	74	4	2000	CU			
13	120	6	10	SCT	2985	84	74	4	2000	CU			
14	140	7	10	SCT	2980	82	72	4	2000	CU			
15	140	7	10	SCT	2980	81	72	3	2000	CU			
16	140	7	10	SCT	2980	80	72	4	2000	CU			
17	140	7	10	SCT	2981	79	72	4	2000	CU			
18	140	7	10	SCT	2984	78	72	4	2000	CU			
19	140	7	10	SCT	2986	77	72	4	2000	CU			
20	140	6	10	SCT	2986	77	72	4	2000	CU			
21	140	5	10	SCT	2986	76	72	4	2000	CU			
22	140	4	10	SCT	2986	76	72	4	2000	CU			
23	140	4	10	SCT	2986	75	72	4	2000	CU			
24	140	4	10	SCT	2986	74	72	4	2000	CU			

POSITION	ZONE	TIME
0800		
L At pont		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Resting on Keel Blocks, position #one (1) in Marine Railway #No. one (#1) U.S. Naval Shipyard, Pearl Harbor, Hawaii. Material condition yoke (Modified) set. Receiving Electrical power, Steam, Potable & S.water and telephone service from the pier. Ships present include various units of the U.S. Pacific Flet, District and Small Craft. S.OPA. is Cin Pac Flt.

CWO JL Hollis, USN

04-08 Resting on Keel Blocks as before. 0745 mustered the crew on Stations. Absentees: None

CWO JL Hollis, USN

APPROVED: Lt. James R. Tolliver U.S.N. COMMANDING

EXAMINED: Lt(jg) RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Friday (Day) 25 (Date) Dec. (Month) 19 64

08-12 # Resting in the keel blocks as before.

Lt jg R S Mason, USN

12-16 Resting on the keel blocks as before.

Lt jg R S Mason, USN

16-20 Resting on the keel blocks as before. 1800 Set Material condition yoke modified)

Lt jg R S Mason, USN

20-24 Resting on the keel blocks as before.

Lt jg R S Mason, USN

APPROVED: EXAMINED:

Lt. James R. Blackmon U.S.N. COMMANDING Lt jg R S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE SATURDAY (Day) 26 (Date) Dec (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	5	10	Sct	2986	77	74	2	2000	Cu			
02	050	5	10	sct	2988	77	74	2	2000	Cu			
03	050	5	10	Sct	2988	76	74	2	2000	Cu			
04	050	5	10	Sct	2988	77	74	2	2000	Cu			
05	050	5	10	Sct	2987	78	74	2	2000	Cu			
06	050	5	10	Sct	2988	79	74	2	2000	Cu			
07	050	5	10	Sct	2990	79	74	2	2000	Cu			
08	050	5	10	Sct	2990	80	74	2	2000	Cu			
09	050	4	10	Sct	2991	80	74	2	2000	Cu			
10	050	4	10	Sct	2991	80	74	2	2000	Cu			
11	050	4	10	Sct	2991	81	74	2	2000	Cu			
12	050	4	10	Sct	2992	81	74	2	2000	Cu			
13	050	4	10	Sct	2993	82	74	2	2000	Cu			
14	050	4	10	Sct	2994	84	74	2	2000	Cu			
15	050	4	10	Sct	2995	85	74	2	2000	Cu			
16	050	4	10	Sct	2996	86	74	2	2000	Cu			
17	050	4	10	Sct	2996	84	74	2	2000	Cu			
18	050	4	10	Sct	2995	82	74	2	2000	Cu			
19	050	4	10	Sct	2994	81	74	2	2000	Cu			
20	050	4	10	Sct	2994	80	74	2	2000	Cu			
21	050	4	10	Sct	2993	79	74	2	2000	Cu			
22	050	4	10	Sct	2993	79	74	2	2000	Cu			
23	050	4	10	Sct	2993	79	74	2	2000	Cu			
24	050	4	10	Sct	2993	78	74	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L In port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Resting on the keel blocks, position #1, Marine Railway #1, U.S. Naval Shipyard, Pearl Harbor, Hawaii. Material condition Yoke modified is set. Receiving electrical power, steam, fresh water, salt water, and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and district craft. SOPA is CINCPACFLT.

Lt. J.G. R.S. Mason, USN

04-08 Resting on the keel blocks as before. CMS Mustered the crew on stations; absentees: None.

Lt. J.G. R.S. Mason

APPROVED: Lt. James R. Tabellion U.S.N. COMMANDING

EXAMINED: Lt. J.G. R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Alnaki (AFF-96) Saturday (Day) 26 (Date) December (Month), 19 64

0800-1200 Resting on keel blocks as before.

Ltjg C.P. McKenzie, USNR

1200-1600 Resting on keel blocks as before

Ltjg C. P. McKenzie, USNR

1600-2000 Resting on keel blocks as before 1800 set condition Yoke modified.

Ltjg C.P. McKenzie, USNR

2000-2400 Resting on keel blocks as before.

Ltjg C. P. McKenzie, USNR

APPROVED: EXAMINED:

Lt James R. Williams U.S.N. COMMANDING Ltjg D S Russ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abraki (ATF-96) ZONE DESCRIPTION +10W DATE Sunday, 27 December, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	4	10	SCT	2986	76	75	4	1800	CU			
02	200	4	10	SCT	2986	76	75	4	1800	CU			
03	200	4	10	SCT	2986	76	75	4	1800	CU			
04	200	4	10	SCT	2986	76	75	4	1800	CU			
05	200	4	10	SCT	2986	76	75	4	1800	CU			
06	200	4	10	SCT	2986	76	75	4	1800	CU			
07	200	4	10	SCT	2986	76	75	4	1800	CU			
08	200	2	10	SCT	2988	81	80	5	1800	CU			
09	200	3	10	SCT	2987	86	76	5	1800	CU			
10	160	3	10	SCT	2990	87	75	5	1800	CU			
11	160	3	10	SCT	2988	84	74	5	1800	CU			
12	160	3	10	SCT	2981	84	75	5	1800	CU			
13	160	3	10	SCT	2981	84	75	5	1800	CU			
14	160	3	10	SCT	2981	81	73	5	1800	CU			
15	160	3	10	SCT	2980	81	73	5	1800	CU			
16	160	4	10	SCT	2980	81	73	5	1800	CU			
17	180	5	10	BKN	2984	79	72	6	1800	CU			
18	180	5	10	BKN	2983	79	72	6	1800	CU			
19	180	5	10	BKN	2986	78	72	6	1800	CU			
20	180	5	10	BKN	2986	78	72	6	1800	CU			
21	180	5	10	BKN	2988	79	74	6	1800	CU			
22	180	5	10	BKN	2988	79	74	6	1800	CU			
23	180	5	10	BKN	2988	79	74	6	1800	CU			
24	180	5	10	BKN	2988	78	74	6	1800	CU			

POSITION	ZONE	TIME
0800		
L NP POINT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Resting on keel blocks position number one (1) in Marine Railway Number one (1) US Naval Shipyard Pearl Harbor, Hawaii. Material condition yoke (modified) is set. Receiving electrical, steam, potable water, salt water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and yard Craft. PSO PA is ComSubFlt4.

Ltjg C. P. McKenzie USN

04-08 Resting on keel blocks as before. 0745 Mustered the crew at stations. Absentees: None.

Ltjg C. P. McKenzie

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 27 (Date) DECEMBER (Month) 19 64

ØØ-12. RESTING ON THE KEEL BLOCKS AS BEFORE.

LTJG L E Horton USN

12-16 RESTING ON THE KEEL BLOCKS AS BEFORE.

LTJG L E Horton USN

16-2Ø RESTING ON THE KEEL BLOCKS AS BEFORE. 15ØØ SET MODIFIED MATERIAL CONDITION YOKE.

LTJG L E Horton USN

2Ø-24 RESTING ON THE KEEL BLOCKS AS BEFORE.

LTJG L E Horton USN

APPROVED: EXAMINED:

Lt. James R. Williams U.S.N. COMMANDING — Ltjg R S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY 28 DECEMBER, 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	5	10	BKN	2988	78	74	6	1800				
02	080	5	10	BKN	2988	78	74	6	1800				
03	080	5	10	BKN	2988	78	74	6	1800				
04	080	5	10	BKN	2988	77	70	6	1800				
05	080	5	10	BKN	2988	76	70	6	1800				
06	080	5	10	BKN	2988	76	70	6	1800				
07	150	4	10	BKN	2987	76	70	6	2000				
08	070	3	10	SCT	2987	78	70	3	2000				
09	070	4	10	SCT	2988	80	71	4	2000				
10	070	4	10	SCT	2990	81	72	4	2000				
11	070	5	10	SCT	2990	83	72	4	2000				
12	070	7	10	SCT	2990	82	72	4	2000				
13	070	7	10	SCT	2990	83	73	4	2000				
14	070	8	10	SCT	2992	83	73	4	2000				
15	070	7	10	SCT	2992	83	73	4	2000				
16	070	8	10	SCT	2992	78	70	4	2000				
17	070	7	10	SCT	2992	78	70	3	2000				
18	070	13	10	SCT	2991	76	70	3	2000				
19	070	11	10	SCT	2990	76	70	3	2000				
20	090	7	10	SCT	2993	76	70	3	2000				
21	090	7	10	SCT	2996	76	70	3	2000				
22	090	9	10	SCT	2998	75	69	3	2000				
23	090	9	10	SCT	2998	75	69	3	2000				
24	090	10	10	SCT	2996	75	69	4	2000				

POSITION	ZONE	TIME
0800		
L 21N 201W		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0004 RESTING ON THE KEEL BLOCKS IN MARINE RAILWAY NUMBER ONE, U.S. NAVAL SHIPYARD PEARL HARBOR, HAWAII. RECIEVING FRESH WATER, FIRE AND FLUSHING WATER, STEAM, ELECTRICIAL POWER, AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

ENS L C Hinton USN

0004-0008 RESTING ON THE KEEL BLOCKS AS BEFORE. 0700 MUSTERED CREW AT QUARTERS; ABSENTEES NONE.

ENS L C Hinton USN

APPROVED: LT. James R. Wilkinson U.S.N. COMMANDING

EXAMINED: Stgn R A Rosen U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY 28 DECEMBER 1964
(Day) (Date) (Month)

08-12 RESTING ON KEEL BLOCKS AS BEFORE.

CWO, J.L. Hollis, USN

12-16 RESTING ON KEEL BLOCKS AS BEFORE.

CWO, J.L. Hollis, USN

16-20 RESTING ON KEEL BLOCKS AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (MODIFIED).

CWO, J.L. Hollis, USN

20-24 RESTING ON KEEL BLOCKS AS BEFORE.

CWO, J.L. Hollis, USN

APPROVED: LT James R. [signature] U.S.N. COMMANDING

EXAMINED: LTJG D.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE TUESDAY (Day) 29 (Date) DECEMBER (Month) 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	2	10	SCT	2996	78	74	2	2000	CU			
02	080	2	10	SCT	2997	78	74	2	2000	CU			
03	080	2	10	SCT	2996	78	74	2	2000	CU			
04	080	2	10	SCT	2995	79	74	2	2000	CU			
05	080	2	10	SCT	2995	80	74	2	2000	CU			
06	080	2	10	SCT	2995	80	74	2	2000	CU			
07	090	2	10	SCT	2997	80	74	2	2000	CU			
08	090	2	10	SCT	2996	82	74	2	2000	CU			
09	090	4	10	SCT	2996	84	74	2	2000	CU			
10	090	4	10	SCT	2996	82	74	2	2000	CU			
11	090	4	10	SCT	2994	82	72	2	2000	CU			
12	090	4	10	SCT	2994	79	70	2	2000	CU			
13	090	4	10	SCT	2993	79	70	2	2000	CU			
14	090	4	10	SCT	2992	79	70	2	2000	CU			
15	090	4	10	SCT	2991	80	71	2	2000	CU			
16	090	4	10	SCT	2990	79	70	2	2000	CU			
17	090	4	10	SCT	2991	78	70	2	2000	CU			
18	090	4	10	SCT	2991	78	70	2	2000	CU			
19	090	4	10	SCT	2992	78	70	2	2000	CU			
20	090	4	10	SCT	2993	76	70	2	2000	CU			
21	090	4	10	SCT	2993	76	70	2	2000	CU			
22	090	4	10	SCT	2994	76	70	2	2000	CU			
23	090	4	10	SCT	2995	75	70	2	2000	CU			
24	090	4	10	SCT	2996	75	70	2	2000	CU			

POSITION	ZONE	TIME
0800		
L 1W point		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
0

REMARKS

00-04 RESTING ON KEEL BLOCKS IN MARINE RAILWAY NUMBER ONE (#1) POSITION #1, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH MATERIAL CONDITION YOKE (modified) SET. RECEIVING ELECTRICAL POWER, POTABLE & FLUSHING WATER, STEAM AND TELEPHONE SERVICES FROM SHORE CONNECTIONS. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET DISTRICT AND SMALL CRAFT. S.O.P.A. IS CINCPAC FLT.

CWO J. D. Hollis, USN

04-08 RESTING ON Keel BLOCKS AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0720 SET THE SPECIAL SEA & ANCHOR DETAIL - CAPTAIN + NAVIGATOR ON THE BRIDGE. PREPERATIONS MADE TO COMMENCE UNDOCKING.

CWO J. D. Hollis, USN

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Hoyt R. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Tuesday (Day) 29 (Date) Dec (Month) 1964

08-12 Resting on the keel blocks as before. 0812 Marine Railway Mooring into water. 0843 Ship waterborne, all below deck spaces report all secure. 0857 Ship is off the blocks. 0859 PHDSN KCM has a line to the stern off the ship ad commenced pulling ship clear of the Marine railway. 0902 ~~0859~~ U.S Navy Tug YTM-142 came alongside the port quarter. 0907 Pilot R.C Wilson came onboard and took the Conn. ~~0930~~ 0908 Handling lines secure on ship. 0909 Bow passed over sill. U S Navy Tug YTB-553 alongside the starboard bow. 0910 Underway deadplant to moor in berth bravo seven. 0917 Moored ~~ex~~ board ~~to~~ USS Lipan (ATF-85) berth bravo Seven. U.S. Naval Ship Yard. Pearl Harbor Hawaii with standard mooring lines dunbar. Ships present include Various Units of the U.S Pacific Fleet. SOPA is CINCPACFLT. * ~~1015~~ 0937 Rec Secured the Special Sea ad ander detail. 1015 All services connected on pier. +0923 Pilot departed the ship.

Ltjg RS Mason, USN

12-16 Moored as before.

Ltjg RS Mason, USN

16-20 Moored as before. 1800 Set Material Condition Yoke (Modified).

Ltjg RS Mason, USN

20-24 Moored as before

Ltjg RS Mason

APPROVED: Lt James R. Williams U.S.N. COMMANDING

EXAMINED: Stjg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96 ZONE DESCRIPTION +10 W DATE Wednesday (Day) 30 (Date) Dec (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	SCT	2996	71	72	3	2000	Cu			
02	040	2	10	SCT	2995	76	72	3	2000	Cu			
03	040	2	10	SCT	2994	77	72	3	2000	Cu			
04	040	2	10	SCT	2996	77	72	3	2000	Cu			
05	040	2	10	SCT	2996	78	72	3	2000	Cu			
06	040	2	10	SCT	2996	78	72	3	2000	Cu			
07	040	2	10	SCT	2995	80	72	2	2000	Cu			
08	040	2	10	SCT	2994	80	72	2	2000	Cu			
09	040	2	10	SCT	2995	81	72	2	2000	Cu			
10	040	2	10	SCT	2995	82	72	2	2000	Cu			
11	040	2	10	SCT	2996	83	72	2	2000	Cu			
12	040	2	10	SCT	2995	84	72	2	2000	Cu			
13	040	2	10	SCT	2996	85	72	2	2000	Cu			
14	040	2	10	SCT	2995	84	72	2	2000	Cu			
15	040	2	10	SCT	2996	83	72	2	2000	Cu			
16	040	2	10	SCT	2997	83	72	2	2000	Cu			
17	040	2	10	SCT	2997	82	72	2	2000	Cu			
18	040	2	10	SCT	2997	81	72	2	2000	Cu			
19	040	2	10	SCT	2997	80	72	2	2000	Cu			
20	040	2	10	SCT	2998	79	72	2	2000	Cu			
21	040	2	10	SCT	2998	79	72	2	2000	Cu			
22	040	2	10	SCT	2998	79	72	2	2000	Cu			
23	040	2	10	SCT	2998	79	72	2	2000	Cu			
24	040	2	10	SCT	2998	77	72	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: .2

FUEL CONSUMED 0000-2400: 40

REMARKS

00-04 Moored outboard USS Lipan in berth Bravo Seven U.S. Naval Ship Yard, Pearl Harbor, Hawaii with Standard Mooring lines doubled. Material condition Yoke. Modified is set. Receiving fresh water steam, electrical and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and district craft. SOPA is CINCPACFLT

LTjg RS Mason, USN

04-08 Moored as before. 0700 Mustered the crew at quarters Absentees: None.

LTjg RS Mason, USN

APPROVED:

Lt. James L. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 30 (Date) DECEMBER (Month) 19 6X

Ø8-12 Moored as before.

Ltjg C.P. McKenzie, USNR

12-16 Moored as before.

Ltjg C.P. McKenzie, USNR

16-2Ø Moored as before. 1800 set condition yoke modified

Ltjg C.P. McKenzie, USNR

2Ø-24 Moored as before.

Ltjg C.P. McKenzie, USNR

APPROVED: EXAMINED:

Lt. James R. Williamson U.S.N. COMMANDING Ltjg R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE THURSDAY (Day) 31 (Date) DECEMBER (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	6	10	BKN	2998	73	67	8	1800	CU			
02	050	6	10	BKN	2998	73	67	8	1800	CU			
03	050	6	10	BKN	2998	73	67	8	1800	CU			
04	050	6	10	BKN	2998	73	67	8	1800	CU			
05	050	6	10	BKN	2998	73	68	8	1800	CU			
06	050	6	10	BKN	2998	74	70	8	1800	CU			
07	050	6	10	BKN	2998	74	72	8	1800	CU			
08	050	4	10	SCT	2996	77	74	4	1800	CU			
09	050	3	10	SCT	2996	77	78	2	1800	CU			
10	090	4	10	SCT	2996	79	77	2	1800	CU			
11	090	4	10	SCT	2996	79	78	2	1800	CU			
12	190	4	10	SCT	2996	80	76	4	2000	CU			
13	200	3	10	SCT	2994	80	74	4	2000	CU			
14	200	3	10	SCT	2992	80	75	3	2000	CU			
15	200	4	10	SCT	2996	80	75	3	2000	CU			
16	200	5	10	SCT	2998	80	75	3	2000	CU			
17	200	5	10	SCT	2998	77	76	3	2000	CU			
18	200	5	10	SCT	2998	78	75	3	2000	CU			
19	200	5	10	SCT	2998	77	74	3	2000	CU			
20	200	1	10	SCT	2996	77	74	1	2000	CU			
21	200	1	10	SCT	2996	77	74	1	2000	CU			
22	200	1	10	SCT	2995	75	72	1	2000	CU			
23	040	2	10	SCT	2995	74	72	2	2000	CU			
24	040	2	10	SCT	2995	74	72	2	2000	CU			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM NONE (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to USS Lipan, (ATF-85) ~~Lipan~~ Lipan moored starboard side to Keith Brown Seven (K-7) with standard mooring lines doubled, US Naval Shipyard Pearl Harbor, Hawaii. Material condition yoke modified is set. Receiving telephone services from the pier. Ships present include various units of the US Pacific Fleet, District, and yard Capt. SOPA is Comphibpac.

Ltjg C. P. McKenzie, USNR

04-08 Moored as before. 0700 Mustered the crew at quarters. Absentees: none.

Ltjg C. P. McKenzie, USNR

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg R D Moore U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY 31 DECEMBER 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE.

LTJG L E Stanton USN

1200-1600 MOORED AS BEFORE.

LTJG L E Stanton USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LTJG L E Stanton USN

2000-2400 MOORED AS BEFORE.

LTJG L E Stanton USN.

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stgj R S Rosen, USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR